

# On-Stage®

On-Stage has earned its place as one of the most recognized brand names in the music industry with over four decades of hard work, ingenuity, and collaborative partnerships. Our brand encompasses a broad variety of products designed with real-world applications in mind. Every item showcased throughout this catalog represents our tradition of providing high-quality gear with outstanding function at an exceptional value.



- Fretted Instrument
- 2 STANDS
- D BAGS & CASES
- 17 ACCESSORIES
- 29 Microphone
- STANDS
- 42 ACCESSORIES
- 59 Keyboard
- 60 STANDS
- 68 ACCESSORIES
- 73 Percussion
- 74 INSTRUMENTS
- 75 DRUM STICKS & ACCESSORIES
- 79 Band & Orchestra
- 80 SHEET MUSIC STANDS
- 82 SHEET MUSIC STAND ACCESSORIES
- 83 INSTRUMENT STANDS
- 86 INSTRUMENT ACCESSORIES
- 95 Speaker, Lighting & Television
- 96 SPEAKER STANDS
- 101 SPEAKER ACCESSORIES
- 105 LIGHTING STANDS
- 108 LIGHTING ACCESSORIES
- 110 LCD STANDS
- 111 Amplifier & Mixer
- 113 STANDS
- 116 ACCESSORIES
- 117 Audio
- 118 CABLES & SNAKES
- 122 ACCESSORIES



128 WORKSTATIONS129 ACCESSORIES

133 ACOUSTICS


135 Promotional

137 Company Overview

139 Index



All-Terrain Utility Cart UTC5500 (Page 112)







#### Classic Guitar Stand

XCG-4 / 11051

Application: Holds 1 guitar Padding: EVA rubber Height Adjustment: 19.25" - 24" Leg Housing: Sheet metal Tubing: 17 mm / 22 mm Color: Black



#### Flip-It® Gran Guitar Stand

GS7153B-B / 12514

Application: Holds 1 guitar
Height Adjustment: 12" - 16.25"
Padding: EVA rubber
Construction: Steel
Color: Black



#### Duo Flip-It® Guitar Stand

GS7253B-B / 12513

Application: Holds 2 guitars Padding: EVA rubber Leg Housing: Sheet metal Tubing: 19 mm / 22 mm







Application: Holds 3 guitars Padding: EVA rubber Leg Housing: Sheet metal **Tubing**: 19 mm / 22 mm Color: Black



Professional Flip-It® A-Frame Guitar Stand

GS7465 / 12912

Application: Holds 1 guitar Height Adjustment: 18.5" - 26.5"
Tubing: 1" x 1" Square
Tilt Angle: 10°
Color: Black



## **Wooden Guitar Stand**

WGS100 / 10722

Application: Holds 1 guitar Height Adjustment: 19.25" - 24"
Construction: Solid rosewood / steel Leg Housing: Sheet metal **Tubing**: 19 mm / 33 mm Color: Rosewood / black



#### **Deluxe Folding Double** Guitar Stand

GS7221BD / 10748

Application: Holds 2 guitars Height Adjustment: 19" - 33" Base Spread: 22" Padding: EVA rubber Color: Black



## **Deluxe Folding Triple Guitar Stand**

GS7321BT / 12022

Application: Holds 3 guitars Height Adjustment: 17" - 32" Base Spread: 22" Padding: EVA rubber Color: Black



#### Hang-It! Single Guitar Stand GS7155 / 10720

Application: Holds 1 guitar (fits most acoustic and hollow body guitars)
Height Adjustment: 24.5" - 42.5"
Padding: EVA rubber
Construction: Steel
Color: Black



# Hang-It! Double Guitar Stand

## GS7255 / 10749

**Application**: Holds 2 guitars **Height Adjustment**: 36" - 42" Padding: EVA rubber Leg Housing: Sheet metal **Tubing**: 19 mm / 25 mm Color: Black

#### Hang-It! Triple Guitar Stand GS7355 / 10721

Application: Holds 3 guitars Height Adjustment: 36" - 42" Padding: EVA rubber Leg Housing: Sheet metal Tubing: 19 mm / 25 mm Color: Black



#### Hang-It! ProGrip Guitar Stand GS8100 / 10704

Application: Holds 1 guitar Height Adjustment: 30" - 43" Weight Capacity: 36 lbs. Padding: EVA rubber Tubing: 17 mm / 25 mm Color: Black



#### Hang-It! ProGrip II Guitar Stand

GS8200 / 10710

Application: Holds 1 guitar Height Adjustment: 30" - 43" Weight Capacity: 40 lbs.
Padding: Inert rubber **Tubing**: 17 mm / 25 mm Color: Black



#### Six-Guitar Stand

GS7652B / 12975

Application: Holds 6 guitars Padding: EVA rubber Leg Housing: Hi-impact plastic Tubing: 25 mm / 30 mm Color: Black



#### NEW PRODUCT

#### Multi Ukulele Stand

GS5012 / 14004

Application: Holds 12 ukuleles Construction: Steel Padding: EVA rubber
Dimensions: 32" (L) x 19" (W) x 31.25" (H) Color: Black



#### Five-Space Foldable Multi Guitar Rack

#### GS7561 / 10587

**Application**: Holds up to 5 guitars Padding: EVA rubber

Height: 29"

Base Spread: 25" (L) x 20" (W)

Folded Dimensions: 25" (L) x 30" (W) x 6" (H)

Color: Black



#### Three-Space Foldable Multi **Guitar Rack**

#### GS7361 / 10461

**Application**: Holds 3 guitars

Height: 29"

Base Spread: 15" (L) x 20" (W) **Folded Dimensions**: 20" (L) x 30" (W) x 6" (H)

Padding: EVA rubber

Color: Black





#### **Guitar Case Rack**

GS7565B / 12984 — Black GS7565W / 12985 — Natural

**Application**: Holds up to 5 acoustic or electric guitar cases in various combinations

Construction: Wood

**Dimensions**: 36" (L) x 13.25" (W) x 30" (H) Folded Dimensions: 36" (L) x 34" (W) x 4" (H)





#### **Guitar Rack**

GS7563B / 12933 — Black

GS7563W / 12932 — Natural

**Application**: Holds up to 6 electric or 3 acoustic guitars in various combinations Construction: Wood, metal, EVA rubber

**Dimensions**: 25.5" (L) x 14" (W) x 30.5" (H) Folded Dimensions: 34.5" (L) x 25.5" (W) x 4" (H)



#### ON-STAGE ORIGINAL

#### Push-Down Spring-Up Locking **Electric Guitar Stand**

#### GS7140 / 13519

Application: Holds 1 guitar (fits most electric and bass guitars with cutaways)

Height Adjustment: 12" - 16.25" Padding: EVA rubber

Construction: Steel Weight: 2.6 lbs. Color: Black



#### **Professional Single A-Frame Guitar Stand**

#### GS7462B / 11239

Application: Holds 1 guitar Padding: EVA rubber **Tubing**: 1" x 1" square Tilt Angle: 10° Color: Black



#### ON-STAGE ORIGINAL

#### Push-Down Spring-Up Locking **Acoustic Guitar Stand**

#### GS7141 / 13520

Application: Holds 1 guitar (fits most acoustic and hollow body guitars)

Height Adjustment: 16.5" - 22" using provided holes Padding: EVA rubber

Construction: Steel Weight: 2.7 lbs.



#### Professional Flip-It® A-Frame **Guitar Stand**

#### GS7465 / 12912

Application: Holds 1 guitars Height Adjustment: 18.5" - 26.5" Padding: EVA rubber

Tubing: 1" x 1" square Tilt Angle: 10° Color: Black



#### Professional A-Frame Double **Guitar Stand**

#### GS7462DB / 10750

**Application**: Holds 2 guitars Padding: EVA rubber Tubing: 1" x 1" square Tilt Angle: 10° Color: Black



#### Standard Single A-Frame **Guitar Stand**

#### GS7362B / 10725

**Application**: Holds 1 guitar Padding: EVA rubber **Tubing**: 1" x 0.5" square Tilt Angle: 10° Color: Black

Fretted

Instrument



#### Collapsible A-Frame Guitar Stand

GS7364 / 13493

**Application**: Holds 1 guitar Padding: EVA rubber Tubing: 1" x 0.5" square Tilt Angle: 10° Color: Black



#### AWARD-WINNER

#### Mighty Uke Stand

GS6000B / 10087

**Application**: Small fretted instruments

Construction: Plastic

Folded Dimensions: 8.5" (L) x 3.5" (W) x 1.25" (H)

Base Spread: 5.25" Yoke Depth: 2.5" - 3.5"

Color: Black



#### Wire Folk Instrument Stand

GS5000 / 10588

Application: Small fretted instruments Construction: 7 mm steel wire

Folded Dimensions: 11.42" (L) x 11" (W) x 1.25" (H) Base Spread: 5.12"





#### Mighty Guitar Stand

GS6500 / 10487

Base Spread: 10.6"



#### Wire Folding Guitar Stand GS7655 / 10592

Application: Holds 1 guitar

Folded Dimensions: 15.5" (L) x 13" (W) x 1.25" (H)

Base Spread: 6.25" - 10.75" Padding: EVA rubber Position Adjustments: 5 Color: Black

**Application**: Holds 1 guitar Construction: Plastic

Folded Dimensions: 12.25" (L) x 5.85" (W) x 1.65" (H)

Yoke Depth: 3.2" - 5.1"

Color: Black



On-Stage

D.

On-Stage

On-Stage

#### IMPRINTABLE ITEM

#### 4550 Series Guitar Bags

These bags come in four sizes designed to fit electric, acoustic, classical, or bass guitars. Features include rugged, weather-resistant nylon material that is easy to clean, interior liner, heavy-duty 2-pull zipper, and a front zip pocket to carry picks or replacement strings. Use either the 2 carrying handles or the removable padded backpack-style straps to carry your guitar with ease.

#### A. GBB4550 / 12477 — Bass

Length: 48" Lower Bout: 16" Upper Bout: 15" Depth: 1"

#### B. GBE4550 / 12548 — Electric

Length: 43" Lower Bout: 16" Upper Bout: 15" Depth: 1"

#### C. GBC4550 / 12478 — Classical

Length: 42" Lower Bout: 17" Upper Bout: 13" **Depth**: 4.75"

#### D. GBA4550 / 12476 — Acoustic

Length: 44" Lower Bout: 18" Upper Bout: 14.5" Depth: 5"

10

#### 4770 Series Deluxe Guitar Gig Bags

Each model combines the protection of a 0.5" foam-lined interior with the portability of a canvas bag. Features include 2 exterior accessories pockets with leather accent strips, heavyduty 2-pull zippers, a padded side carry handle, a padded top carry handle, adjustable backpack straps, an ID tag, and 2 bag-hanger loops. Gray piping and an embroidered emblem add to the upgraded styling of these gig bags.

#### A. GBB4770 / 13339 — Bass

Length: 48.03" **Depth**: 2.95" Lower Bout: 14.37" Upper Bout: 13" Neck Width: 6.69"

#### B. GBC4770 / 13341 — Classical

Length: 40.35" **Depth**: 3.94" Lower Bout: 15.35" Upper Bout: 12.2" Neck Width: 5.91"

#### C. GBA4770 / 13334 — Acoustic

Length: 42.32" Depth: 3.94" Lower Bout: 16.73" Upper Bout: 12.2" Neck Width: 6.1"

#### D. GBE4770 / 13338 — Electric

Length: 38.97" **Depth**: 2.76" Lower Bout: 14.37" Upper Bout: 12.6" Neck Width: 6.49"





#### PROP 65 WARNING

#### Hardshell Cases for **Acoustic and Classical Guitar**

These hardshell guitar cases provide protection and ease of transportation. Constructed from quality materials, the interior is custom molded and provides full neck support. The interior also features a soft plush lining and an accessories compartment, perfect for picks and capos.

#### A. GCC5000B / 55758 — Classical

Length: 42.1" Depth: 5.9" Lower Bout: 16.9" Upper Bout: 13.8" Neck Width: 5.5" Headstock Width: 6.8"

#### B. GCA5500B / 55449 — Shallow-Body Acoustic

Length: 42.52" Depth: 4.33" Lower Bout: 17.6" **Upper Bout: 13.78**" Neck Width: 5.91" Headstock Width: 6.3"

#### C. GCA5000B / 55448 — Acoustic

Length: 45.47" **Depth**: 6.3" Lower Bout: 18" **Upper Bout**: 14.75" Neck Width: 6" Headstock Width: 7.24"

#### D. GCA5600B / 10113 — Jumbo Acoustic

Length: 44" Depth: 6" Lower Bout: 19" Upper Bout: 14" Neck Width: 5.5" Headstock Width: 6"

Fretted Instrument /

#### Hardshell Cases for Electric Guitar

These hardshell guitar cases provide protection and ease of transportation. Constructed from quality materials, the interior is custom molded and provides whole neck support. The interior also features a soft plush lining and an accessories compartment, perfect for picks and capos.

#### A. GCES7000 / 10114 — Semi-Hollow / Hollow Body

Length: 43" **Depth**: 4.5" Lower Bout: 18" Upper Bout: 14" Neck Width: 5" Headstock Width: 5"

#### **B.** GCLP7000 / 81459 — Single Cutaway

Length: 41.34" Depth: 4.8" Lower Bout: 14.96" Upper Bout: 11.22" Middle: 9.65" Neck Width: 6.3"

#### C. GCSG7000 / 60528 — Double Cutaway

Length: 42" Depth: 5" Lower Bout: 15.75" Upper Bout: 13" Middle: 12.25" Neck Width: 5"

Headstock Wdith: 6.25"







#### \* PROP 65 WARNING

#### Hardshell Cases for Electric Guitar

These hardshell guitar cases provide protection and ease of transportation. Constructed from quality materials, the interior is custom molded and provides full neck support. The interior also features a soft plush lining and an accessories compartment, perfect for picks and capos.

#### D. GCE6000T / 55451 — Electric / Tweed

Exterior Length: 42.5" Interior Length: 41.7" Depth: 4" Exterior Width: 14.6"

Interior Width: 12.8"

#### E. GCE6000B / 55452 — Electric / Black

Exterior Length: 42.5" Interior Length: 41.7" Depth: 4" Exterior Width: 14.6"

Interior Width: 12.8"

#### F. GCB6000B / 55761 — Bass / Black

Exterior Length: 48" Interior Length: 45.83" **Depth**: 4.5"

Exterior Width: 15.2" Interior Width: 13.46"

#### **G.** GCFV7000 / 10115 — Flying-V / Black

Exterior Length: 49" Interior Length: 48" Depth: 4.5" Exterior Width: 20"

Interior Width: 19"

\*This warning applies to products that can cause exposure to chemicals including Bis(2-ethylhexyl) phthalate, which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information, go to P65Warnings.ca.gov

Fretted Instrument / BAGS

#### Polyfoam Cases for Guitar and Banjo

These heavy-duty polyfoam cases feature a plush-lined interior and a heavy-gauge 2-pull zipper, allowing the case to be unzipped lengthwise from the center. 2 carrying handles and an adjustable shoulder strap enable easy, well-balanced transportation. An outer zip pocket is perfect for picks, replacement strings, and other accessories.

#### A. GPCA5550B / 12444 — Acoustic

Dimensions: 43.5" (L) x 17.2" (W) x 6" (D)

#### B. BNC5550B / 10155 — Banjo

**Dimensions**: 17" (W) x 9" (H) x 44" (L) x 7.5" (W)

#### C. GPCC5550B / 12443 — Classical

**Dimensions**: 43.5" (L) x 17.32" (W) x 6.3" (D)

#### D. GPCE5550 / 12446 — Electric

**Dimensions**: 40.6" (L) x 14.6" (W) x 4.3" (D)

#### E. GPCB5550 / 12447 — Bass

**Dimensions**: 49.25" (L) x 15.35" (W) x 5" (D)







#### NEW PRODUCT

#### Gig Bags for Ukulele

Safely store and transport your ukulele with our durable, light-weight gig bag that provides reliable protection alongside optimal portability. Features include a padded interior, two exterior accessories compartments, and a bag-hanger loop. 2 carrying handles and a removable shoulder strap enable balanced, ergonomic transportation for your instrument.

Fretted

Instrument

#### A. Baritone

GBU4101 / 13413 — Black GBU4101S / 14211 — Deluxe Striped

**Dimensions**: 10" (W) x 32" (H) x 3.5" (D)

#### B. Tenor

GBU4102 / 13414 — Black GBU4102S / 14207 — Deluxe Striped

Dimensions: 9.25" (W) x 27" (H) x 3" (D)

#### C. Concert

GBU4104 / 13326 — Black GBU4104S / 14200 — Deluxe Striped

**Dimensions**: 8.25" (W) x 26.5" (H) x 2.75" (D)

#### D. Soprano

GBU4103 / 13328 — Black GBU4103S / 14201 — Deluxe Striped

**Dimensions**: 7.25" (W) x 22" (H) x 2" (D)

5

#### \* PROP 65 WARNING

#### Hardshell Cases for Ukulele

Enjoy reliable hardshell protection for your ukulele while retaining the instrument's portability. This light-weight, heavyduty case features a rigid molded shape that keeps the body secure and provides stable neck support, a plush-lined interior to safeguard the finish, an accessories compartment, and a weather-resistant exterior.

#### A. GCU4003 / 10111 — Soprano

Length: 22" Depth: 2" Lower Bout: 7.25" Upper Bout: 6" Neck Width: 2" Headstock Width: 2.5"

#### B. GCU4004 / 10112 — Concert

Length: 25" Depth: 2.5" Lower Bout: 8.25" Upper Bout: 7" Neck Width: 2.25" Headstock Width: 2.75"

#### C. GCU4002 / 10109 — Tenor

Length: 27" Depth: 3" Lower Bout: 9.25" Upper Bout: 8" Neck Width: 2.5" Headstock Width: 3"

#### D. GCU4001 / 10108 — Baritone

Length: 32" Depth: 3.5" Lower Bout: 10" Upper Bout: 9" Neck Width: 2.75" Headstock Width: 3.25"





#### Gig Bags for Ukulele

On-Stage Ukulele Gig Bags offer a unique and affordable combination of functionality, style, and convenience. Constructed with heavy-duty, weather-resistant, easy-toclean nylon in various designs and thick, double-stitched, woven padding, these bags provide reliable protection in an attractive package. Backpack-style straps and an exterior pocket enable easy transportation for your instrument and accessories.

#### A. GBU4204WM / 13896 — Concert

**Dimensions**: 27.5" (L) x 11" (W) Color: Watermelon

B. GBU4203WM / 13895 — Soprano

Dimensions: 24" (L) x 10.5" (W) Color: Watermelon

#### C. GBU4204B / 13898 — Concert

Dimensions: 27.5" (L) x 11" (W) Color: Black

## D. GBU4203B / 13897 — Soprano

**Dimensions**: 24" (L) x 10.5" (W)

Color: Black

#### E. GBU4204PA / 13893 — Concert

Dimensions: 27.5" (L) x 11" (W)

Color: Pineapple

#### F. GBU4203PA / 13892 — Soprano

Dimensions: 24" (L) x 10.5" (W)

Color: Pineapple



Fretted Instrument /



#### Five-Guitar Hanger

#### GS8500B / 12990

**Application**: Holds 5 guitars Construction: Anodized aluminum

**Hangers (5)**: 14.5" (L), swivel 45° right and 45° left

Includes: 8 Mounting screws Dimensions: 48" x 4.5"

Color: Black



#### Adjustable Flip-It® Guitar Hanger

#### GS7660B / 10706

**Application**: Holds 1 guitar Padding: EVA rubber Construction: Steel

**Position**: Adjustable (45° left / 90° straight / 45° right)

Weight Capacity: 11 lbs.

Color: Black



#### Straight Slatwall Guitar Hanger

#### GS7650SB / 10711

Application: Holds 1 guitar Padding: EVA rubber Construction: Steel Position: Straight Weight Capacity: 11 lbs. Color: Black



#### **Round Metal Wall Guitar Hanger** GS7640 / 11994

Application: Holds 1 guitar Padding: EVA rubber Construction: Steel Color: Black



#### Adjustable Slatwall Guitar Hanger GS7650AB / 10747

Application: Holds 1 guitar Padding: EVA rubber Construction: Steel

Position: Adjustable (left / straight / right)

Weight Capacity: 11 lbs.

Color: Black



#### Mini Wood Wall Guitar Hanger GS7730 / 12035

Application: Holds 1 guitar Padding: EVA rubber Construction: Steel / wood Color: Black / maple



#### **Locking Guitar Hanger**

#### GS8130 / 14026

Application: Holds 1 guitar Weight Capacity: 16.5 lbs. Material: Nylon

Includes: Mounting hardware Color: Black



#### u-mount® Shaft Guitar Hanger

#### GS7800 / 10648

Application: Holds 1 guitar Construction: Steel / EVA rubber Weight Capacity: 8 lbs.

Clamp Size: Adjustable up to 0.75"

Includes: u-mount® guitar hanger, EVA stand

bumper, and zip tie



#### Slat Wall Locking Guitar Hanger

#### GS8650 / 14222

Application: Holds 1 guitar Weight Capacity: 11 lbs. Construction: Nylon / steel Padding: EVA rubber

Color: Black

Includes: Hardware / wall anchors



#### NEW PRODUCT

#### **Wood Locking Guitar Hanger**

**Application:** Holds 1 guitar Weight Capacity: 16.5 lbs. Material: Wood / nylon

**Includes:** Mounting hardware & wall anchors

Available Colors: Natural, Black, Cherry, Mahogany, Walnut

GS8730NA / 14244 / Natural GS8730BK / 14245 / Black GS8730MA / 14249 / Mahogany





#### M20 THREADED

#### **Guitar Hanger for** M20 Bases

#### GPA7155 / 13510

**Application**: Holds 1 guitar when attached to an M20 base Height Adjustment: 24" - 38" Padding: EVA rubber

Threading: M20 Color: Black

GS8730CH / 14248 / Cherry GS8730WN / 14247 / Walnut Fretted Instrument

ACCESSORIES



## Compact Pedal Board with Gig Bag GPB2000 / 12943

Application: Holds up to 5 standard-size guitar pedals Construction: Aluminum

Includes: Gig bag, adhesive hook-and-loop strips

**Dimensions**: 18.75" (L) x 6" (W)

Color: Black



#### Pedal Board with Gig Bag

#### GPB3000 / 11733

**Application**: Holds up to 10 standard size guitar pedals

Construction: Aluminum
Dimensions: 18.7" (L) x 9" (W)

Bag Material: Nylon

Bag Dimensions: 21.5" (L) x 12.5" (W) x 4.5" (H) Includes: Gig bag, adhesive hook-and-loop strips



## Guitar / Keyboard Pedal Board with Gig Bag

#### GPB4000 / 12814

**Application**: Holds up to 20 standard-size guitar pedals, modular synths, laptops, DI boxes, small mixers, drum machines

Construction: Aluminum

Tray Dimensions: 28" (L) x 14.5" (W)
Slot Dimensions: 10.875" (L) x 0.75" (W)
Bag Dimensions: 30.5" (L) x 16.5" (W) x 5" (H)
Includes: Gig bag, adhesive hook-and-loop strips



#### Ukulele Humidifier GA250 / 13431

Application: Ukulele Material: Plastic Color: Black



#### Guitar Humidifier GA150 / 13432

Application: Acoustic guitar Material: Plastic Color: Black



#### Harmonica Holder IHH1020 / 12913

Application: Holds 10- to 20-hole harmonicas Construction: Metal Color: Silver



#### **Eight-Plug Daisy Chain**

#### PSA800 / 12936

**Application**: Powers up to 8 effect pedals when used with power adapter (sold separately)

Wire Length: 3.5" per plug Plug Size: 5.5 mm / 2.1 mm Color: Black



#### Pedal Power Pack

#### PS801 / 12935

**Application**: Powers up to 8 effect pedals

**Plug Size**: 5.5 mm / 2.1 mm

Includes: (1) adapter, (1) 8-plug daisy chain, (2) 9V battery connectors, (1) Line 6 connector, (1) 3.5 mm connector, (1) reverse-polarity connector



#### Adhesive Hook-and-Loop Strips

#### HL4000 / 12976

Application: Securing pedals, mixers, drum machines, and

other devices Quantity: 2 Strips

Dimensions: 41.5" (L) x 3" (W) per strip

Color: Black



#### Guitar Capo GA100 / 10139

Classical Guitar Capo

GA300 / 10253

GA100 Application: Guitar GA300 Application: Classical guitar Material: Diecast zinc alloy

Padding: Silicone Color: Black



#### Ukulele Capo

GA200 / 10152 — Silver GA200B / 12937 — Black

Application: Ukulele Material: Diecast zinc alloy Padding: Silicone



#### **Guitar String Winder**

GSW500 / 10580

Application: Guitar or small folk instrument Construction: Plastic Color: Black

\_ .



#### Guitar String Winder P.O.P. Pack

GSW500PK / 11480

GSW500PKRF / 11687 / Refill Pack

Application: Guitar or small folk instrument Construction: Plastic

Quantity: 45 Color: Black



#### **Universal Guitar Care Kit**

GK7000 / 10591

Application: Guitar Cloth Quantity: 2 Cloth Size: 7.75" x 7.75" Polish Size: 4 oz.

Guitar Pick Qtv: 3 Guitar Pick Size: 0.46 mm x 0.71 mm x 0.96 mm



#### Jar of 100 Pick Holders

GSAPK6500 / 12689

Application: Holds up to 5 medium-gauge picks Material: Molded plastic / adhesive backing Quantity: 100

Color: Black



#### **Guitar Straps**

Application: Guitar strap Material: Cotton / leather Length Adjustment: 38" - 67"

GSA30BK / 14186 / Black GSA30GR / 14190 / Grav GSA30BR / 14189 / Brown GSA30NB / 14188 / Navy Blue GSA30BU / 14187 / Burgundy



#### Seatbelt Guitar Straps

Application: Guitar strap Material: Nylon / leather ends Length Adjustment: 36" - 64"

NEW PRODUCT

GSA20BK / 14198 / Black GSA20GR / 14197 / Grav GSA20BR / 14196 / Brown GSA20LB / 14195 / Light Blue GSA20RD / 14194 / Red GSA20GE / 14192 / Green GSA20PP / 14193 / Purple GSA20PK / 14191 / Pink



#### Polypropylene Guitar Strap

**Application**: Guitar strap Material: Polypropylene / leather ends Length Adjustment: 31" - 52"

GSA10GR / 13484 / Gray GSA10BK / 13479 / Black GSA10WT / 13487 / White GSA10BR / 13481 / Brown GSA10YW / 13488 / Yellow GSA10BL / 13480 / Blue GSA10GE / 13483 / Green GSA10BU / 13482 / Burgundy GSA10RD / 13486 / Red GSA100R / 13485 / Orange GSA10YWBST / 13473 / Sunburst GSA10BKNA (NRD / 13472 / Black with Red Stripes

Fretted Instrument /



#### **Guitar Pick Holder**

GSAPK6600 / 12688

**Application**: Holds up to 7 guitar picks

Material: Rubber

Length: 7"

**Includes**: 6 guitar picks Color: Black holder, purple picks



#### Mic Stand Pick Hold-It

GSAPK6700 / 12690

**Application**: Holds up to 7 guitar picks

Material: Rubber

Length: 7"

Includes: 5 heavy-gauge picks

Color: Black



#### Felt Ukulele Picks

UPK300 / 12979

**Application**: Ukulele, bass, and other stringed instruments

Quantity: 3 picks

Dimensions: 25 mm x 30 mm Colors: White, blue, purple



#### Ukulele Strap with Clip Connectors

Application: Ukulele strap Material: Nylon, plastic

GSA70B / 14047 / Black GSA70R / 14049 / Red GSA70BL / 14048 / Blue GSA70P / 14050 / Various patterns; must be purchased in packs of 6



#### **Wireless Transmitter Pouch** with Guitar Strap

MA1335 / 12997

**Application:** Attaches wireless transmitters to strap or belt **Dimensions**: Fits 1" (L) x 3" (W) x 3.5" (D) transmitter

Material: Water-resistant neoprene

Large Loop: Fits belts and straps up to 1.75"

Small Loop: Fits belts up to 0.75"

Strap Length: 32" - 55" Color: Black



#### Click-It Guitar Strap GSA6230 / 13478

Application: Guitar strap Material: Nylon, plastic Length Adjustment: 46" - 72" Color: Black

24





#### Clip-On Chromatic Tuner with Metronome

GTA5000 / 12480

Application: Chromatic tuner with guitar, bass, ukulele, and violin modes

Display: 2-color Rotation: 360°

Display Dimensions: 1.73" (H) x 1.32" (W) Includes: CR2032 battery, instructions




#### Rechargeable Clip-On Tuner GTA4500 / 13226

Application: Chromatic tuner with guitar,

Rotation: 360° Battery Life: 5.5 Hours

**Dimensions**: 1.3" (L) x 1.2" (W) x 3.7" (D) Includes: USB charging cable, instructions



Power Supply: 3.7 V / 110 mAh (included)



#### Tune-Up Clip-On Guitar Tuner GTA6000 / 10103

Application: Chromatic tuner with guitar, bass, ukulele, and violin modes

Display: 3-color Rotation: 360°

**Dimensions**: 1.75" (L) x 1" (H) x 0.5" (D)

Color: Red



#### Chromatic Tuner. Metronome. **Tone Generator**

#### GTA7000 / 12417

**Application**: Chromatic Tuner, Metronome and Tone Generator

Display: 1-color Tuning Mode: Chromatic

**Rhythm**: Multiple rhythm patterns

**Dimensions**: 4.21" (L) x 3" (H) x 0.65" (D)

Includes: Clip-on mic, (2) AAA batteries, instructions



#### NSL7200B / 49756 / Black

7200 Series Strap Locks

Hennessey® Strap Locks

NSL7200G / 49782 / Gold NSL7200C / 49768 / Chrome

Application: Locks guitar strap Construction: Solid brass

#### 7300 Series Strap Locks

NSL7300BL / 51678 / Blue NSL7300PV / 51675 / Purple NSL7300R / 51679 / Red NSL7300SL / 51677 / Silver



#### 8200 Series Premium Strap Locks

NSL8200B / 56869 / Black NSL8200G / 56868 / Gold NSL8200C / 56867 / Chrome





GTA4000 / 12481

Application: Chromatic tuner with guitar, bass, ukulele, and violin modes

Display: 2-color Rotation: 360°

**Display Dimensions**: 1.73" (H) x 1.32" (W) Includes: CR2032 battery, instructions



18V 1A 1A 1A 100mA 100mA 100mA 100mA 100 0 0 0 0 0 0 0 0 0

Outputs: (1) 18 V, (2) 12 V 1 A, (1) 9 V 1 A, (5) 9 V 100 mA

#### **ABY Switcher**

GSP1000 / 14077

**Application:** Switches between effect pedals Inputs: 1/4"

Outputs: (2) 1/4"

NEW PRODUCT

Color: Black

PS901 / 14078

Pedal Power Bank

Application: Powers multiple effect pedals

Power: 18 V AC/DC adapter (included)

Dimensions: 6.25" (L) x 2" (W) x 0.9" (H)

Includes: 5-plug daisy chain, (8) power

Construction: Aluminum enclosure

cables, (1) reverse-polarity adapter

Power: 9 V DC, center negative (not included) Construction: Aluminum enclosure

**Dimensions:** 3.6" (L) x 1.5" (W) x 2.1" (H)



#### Mini Pedal Tuner GTP7000 / 13315

Application: Guitar pedal tuner Tuning Mode: Chromatic

Display: 4-color

**Power**: 9V DC (power supply not included) **Dimensions**: 3.6" (L) x 1.5" (W) x 1.2" (D)



#### Mini Headphone Amp for Guitar

**Application**: Guitar amplification Controls: Volume / gain / tone

GA5000MI / 10088

Battery Life: 8 - 10 hours **Dimensions**: 3.25" (L) x 1.5" (W) x 0.75" (D)

Color: Black



Fretted

Instrument

28



#### **Chrome-Plated Guitar Slide**

#### SLD206 / 11070 — Size 6

Size: 6

Fretted Instrument / Accesso

Inside Diameter: 16.5 mm Outside Diameter: 18.9 mm Length: 55 mm

Includes: Storage pouch

#### SLD209 / 11073 — Size 9

Size: 9

Inside Diameter: 18.9 mm Outside Diameter: 21.3 mm

Length: 55 mm

Includes: Storage pouch

#### SLD209T / 11072 — Size 9 Thick

Size: 9

Inside Diameter: 18.9 mm Outside Diameter: 21.3 mm

Length: 55 mm

Includes: Storage pouch

#### SLD211 / 11071 — Size 11

Size: 11

Inside Diameter: 20.6 mm Outside Diameter: 23 mm

Length: 55 mm

Includes: Storage pouch



#### HOT SELLER

#### Foot Stool

#### FS7850B / 12020

**Application**: Foot rest **Position Adjustments**: 5 Color: Black



#### Guitar Hanger for DT8500 **Guitar Throne**

#### GS7710 / 12669

Application: Holds 1 guitar when attached to the DT8500

Construction: Steel Padding: EVA rubber

Includes: Guitar hanger and positioning washer

Weight Capacity: 12 lbs. Threading: M10



#### Guitar / Keyboard Throne

#### DT8500 / 12559

Application: Guitar stool Seat Width: 12"

Height Adjustment: 21.25" - 30.5" Foot Rest Height: 14.75"

Base Spread: 16.5" Weight Capacity: 300 lbs.





#### **Guitarist Stool with Foot Rest**

#### DT7500 / 12872

Application: Guitar stool / guitar stand Stool Height: 28"

Stool Width: 9" Foot Rest Height: 11" Weight Capacity: 300 lbs.

Color: Black





#### HOT SELLER

## Tripod-Base Mic Stand

#### MS7700B / 10699

Height Adjustment: 32" - 61.5" Base Spread: 23" Threading: 5/8"-27 Color: Black



#### MS8301 / 12572

Height Adjustment: 39" - 63" Upper Shaft Tilt Range: 40° Base Spread: 23" Threading: 5/8"-27 Color: Black



#### HOT SELLER

#### Euro Boom Mic Stand

MS7701B / 10700 — Black MS7701C / 12813 — Chrome

Height Adjustment: 32" - 61.5" Base Spread: 23" Boom Length: 30" Threading: 5/8"-27 Color: Black



## Telescoping Euro Boom Mic Stand

#### MS7701TB / 10767

Height Adjustment: 32" - 61.5" Base Spread: 23" Boom Length: 20" - 36" Threading: 5/8"-27 Color: Black







#### MS7801W / 11081

Height Adjustment: 37" - 64" Base Spread: 23" Boom Length: 31" Threading: 5/8"-27 Color: White



#### MS9700B+ / 11655

Height Adjustment: 36" - 64" Base Spread: 24" Threading: 5/8"-27 Construction: Steel / zinc Color: Black



#### Heavy-Duty Euro Boom Mic Stand

#### MS9701B+ / 11656

Height Adjustment: 36" - 64" Base Spread: 24" Boom Length: 30" Threading: 5/8"-27 Construction: Steel / zinc Color: Black



#### Heavy-Duty Tele-Boom Mic Stand

#### MS9701TB+ / 11657

Height Adjustment: 36" - 64" Base Spread: 24" Boom Length: 19" - 30" Threading: 5/8"-27 Construction: Steel / zinc Color: Black

1



#### **Tripod Mic Stand with** M20-Threaded Base

#### MS9750 / 13128

Height Adjustment: 39" - 69" Base Spread: 24" Threading: 5/8"-27 Base Threading: M20 Construction: Steel / zinc Color: Black



#### \* PROP 65 WARNING

#### Mic Stand Pack

#### MS7500 / 11493

Includes: Mic clip and pouch

Application: Mic stand pack with mic and cable Stand Height Adjustment: 41.5" - 63" Boom Length: 31.5" Microphone: Dynamic with cardioid pattern Microphone Frequency Response: 80 Hz - 12 kHz Cable: 13' XLR-QTR Hi-Z



#### \* PROP 65 WARNING

#### Mic Pack for Kids

#### MS7515 / 13560

Includes: Mic clip and pouch

Application: Mic stand pack with mic and cable Stand Height Adjustment: 26" - 42" Boom Length: 19.5" Microphone: Dynamic with cardioid pattern Microphone Frequency Response: 80 Hz - 12 kHz Cable: 13' XLR-QTR Hi-Z



#### MSP7703 / 11953 — 3 Pack

Height Adjustment: 32" - 61.5" Base Spread: 23" Boom Length: 30" Threading: 5/8"-27 Color: Black Bag Dimensions: 38" (L) x 6" (W) x 4" (D) Material: Heavy-duty padded nylon

#### MSP7706 / 10679 — 6 Pack

Height Adjustment: 32" - 61.5" Base Spread: 23" Boom Length: 30" Threading: 5/8"-27 Color: Black

Bag Dimensions: 39" (L) x 9.5" (W) x 5" (D) Material: Heavy-duty padded nylon



#### HOT SELLER

#### Round-Base Mic Stand

MS7201B / 10691 — Black MS7201C / 10692 — Chrome MS7201W / 12412 — White

Height Adjustment: 33" - 60" Base Diameter: 10" Base Weight: 7 lbs. Upper Threading: 5/8"-27



#### Quik-Release Round-Base Mic Stand

#### MS7201QRB / 13409

Height Adjustment: 34" - 62" Base Diameter: 10" Base Weight: 7 lbs. Upper Threading: 5/8"-27 Color: Black

\*This warning applies to products that can cause exposure to chemicals including Bis(2-ethylhenyl) phthalate, which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information, go to P65Warnings.ca.gov



#### ON-STAGE ORIGINAL

#### **Quarter-Turn Round-Base** Mic Stand

MS7201QTR / 10676 — Black MS7201QTRW / 10677 — White

Height Adjustment: 34" - 60" Base Diameter: 10" Base Weight: 6.4 lbs. Upper Threading: 5/8"-27

Color: Black



#### ProGrip Dome-Base Mic Stand

MS7255PG / 13524

Height Adjustment: 38" - 61" Base Diameter: 10" Base Weight: 9 lbs. Upper Threading: 5/8"-27 Color: Black



#### Stackable Mic Stand MS7325 / 14084

Height Adjustment: 34" - 61" Base Diameter: 10" Base Weight: 7 lbs. Upper Threading: 5/8"-27 Color: Black



#### Heavy-Duty Mic Stand with 10" Base

#### MS9210 / 11492

Height Adjustment: 36" - 65" Base Diameter: 10" Base Weight: 6 lbs. Upper Threading: 5/8"-27 Base Threading: M20 Color: Black



#### M20 THREADED

#### Heavy-Duty Mic Stand with 12" Base

#### MS9212 / 11491

Height Adjustment: 36" - 65" Base Diameter: 12" Base Weight: 10 lbs. Upper Threading: 5/8"-27" Base Threading: M20 Color: Black



#### M20 THREADED

#### Three-Section Mic Stand

#### MS9312 / 12996

Height Adjustment: 39" - 97" Base Diameter: 12" Base Weight: 10 lbs. Upper Threading: 5/8"-27" Base Threading: M20 Color: Black



#### M20 THREADED ON-STAGE ORIGINAL

#### **Upper Rocker-Lug with** 10" Low-Profile Base

#### MS8310 / 12570

Height Adjustment: 36" - 65" Upper Shaft Tilt Range: 40° Base Diameter: 10" Base Weight: 6 lbs. Upper Threading: 5/8"-27" Base Threading: M20 Color: Black



ON-STAGE ORIGINAL Upper Rocker-Lug with

### 12" Low-Profile Base

#### MS8312 / 12569

Height Adjustment: 41" - 69" Upper Shaft Tilt Range: 40° Base Diameter: 12" Base Weight: 10 lbs. Upper Threading: 5/8"-27" Base Threading: M20 Color: Black

Microphone




M20 THREADED
ON-STAGE ORIGINAL

## Lower Rocker-Lug with 12" Low-Profile Base

#### MS8412 / 12571

Height Adjustment: 41" - 69" Lower Shaft Tilt Range: 15° Base Diameter: 12" Base Weight: 10 lbs. Upper Threading: 5/8"-27" Base Threading: M20 Color: Black



M20 THREADED
ON-STAGE ORIGINAL

#### Utility Stand for Pedal Board

#### GPA1003 / 12868

Height Adjustment: 41" - 69" Upper Shaft Tilt Range: 40° Base Spread: 17.9" x 10.35" (designed to slide under pedal boards) Base Weight: 8 lbs. Upper Threading: 5/8"-27" Base Threading: M20 Color: Black



ON-STAGE ORIGINAL

#### Hex-Base Quarter-Turn Threadless Mic Stand

#### MS7625B / 10697

Height Adjustment: 33" - 61" Base Spread: 11.5" Base Weight: 6 lbs. Upper Threading: 5/8"-27" Color: Black



M20 THREADED
ON-STAGE ORIGINAL

## Hex-Base Mic Stand with M20 Threading

#### MS7613 / 13157

Height Adjustment: 36" - 65"
Base Diameter: 13.5" (L) x 12" (W) x 1.25" (H)
Base Weight: 13 lbs.
Upper Threading: 5/8"-27"
Base Threading: M20
Color: Black



#### Studio Boom

#### SMS7630B / 12980

Height Adjustment: 42" - 72" Base Spread: 15" Base Weight: 16 lbs. Boom Length: 32.5" - 47" Threading: 5/8"-27" Base Threading: M20 Color: Black



#### Hex-Base Studio Boom Mic Stand

#### SMS7650 / 12624

Height Adjustment: 40" - 82" Base Spread: 18" Base Spread with Casters: 24" Base Weight: 17 lbs. Boom Length: 43" - 79" Mini Boom Length: 7" Threading: 5/8"-27" Base Threading: M20 Color: Black



Microphone

Tripod Studio Boom with 7" Mini-Boom Extension

#### SB9600 / 12911

Height Adjustment: 46.5" - 79"
Base Spread: 32" - 48"
Boom Length: 43" - 79"
Mini Boom Length: 7"
Threading: 5/8"-27"
Color: Black

37 38



#### SB96+ / 10760

Height Adjustment: 45" - 76" Base Spread: 34" Base Includes: Locking casters Boom Length: 43" - 79" Mini Boom Length: 7" Threading: 5/8"-27" Color: Black



#### Handheld Boom Pole

#### MBP7000 / 10754

Application: Telescoping pole for field miking and recording Threading: 5/8"-27 male and 3/8" female

Length: 3.1' - 8.1' Weight: 0.95 lbs

Materials: Aluminum / EVA rubber grip

Color: Black



#### Drum / Amp Tripod with Boom

#### MS7411B / 12743

Height Adjustment: 17" - 27" Boom Length: 19" Base Spread: 26" Color: Black



#### ON-STAGE ORIGINAL

#### Handheld Mic Boom Pole with Cable

#### MBP8000 / 93668

**Application**: Telescoping pole for field miking and recording

Threading: 5/8"-27 Male and 3/8" Length: 35" - 10'

Weight: 2.3 lbs

Materials: Aluminum / EVA rubber grip

Included: Internal coiled cable, padded nylon carry bag

Color: Black



#### Drum / Amp Tripod with Tele Boom

#### MS7411TB / 10755

Height Adjustment: 17" - 27" Boom Length: 20" - 36" Base Spread: 26" Color: Black



#### M20 THREADED

#### Drum / Amp Mic Stand

#### MS7311B / 12649

Height Adjustment: 18" - 26.5" Boom Length: 17"

Base Spread: 6.5" Base Weight: 7 lbs. Base Threading: M20

Color: Black

M20 THREADED

MS9409 / 12999

Height Adjustment: 9" - 13"

Threading: 5/8"-27 for mic clips or

accessories and M20 at base

Boom Length: 21.5" - 36"

Base Diameter: 10"

Base Weight: 6 lbs.

Color: Black

Drum / Amp Mic Stand

with Telescoping Boom



#### Pro Heavy-Duty Kick Drum Mic Stand

#### MS9411TB+ / 11785

Height Adjustment: 15" - 24" Boom Length: 19" - 33" Base Spread: 19" Color: Black



#### Bass Drum / Boom Combo Stand

#### MS7920B / 13230

Height Adjustment: 8" - 14" Boom Length: 16" Base Spread: 4.5" x 7.5" Color: Black



#### M20 THREADED

#### Drum / Amp Mic Stand with Telescoping Boom

#### MS9417 / 12998

Height Adjustment: 17" - 28.5" Boom Length: 21.5" - 36" Base Diameter: 10" Base Weight: 6 lbs. Threading: 5/8"-27 for mic clips or accessories

and M20 at base Color: Black

#### ON-STAGE ORIGINAL

#### Desktop Stand with Rocker Lug

#### DS8100 / 12919

Application: Desktop miking Height: 12"

Upper Shaft Tilt Range: 40°

Base Diameter: 6" Base Weight: 3 lbs. Color: Black



ON-STAGE ORIGINAL

#### **Desktop Stand with Rocker Lug**

#### DS8200 / 12920

**Application**: Desktop miking Height Adjustment: 9" - 14.25' Upper Shaft Tilt Range: 40° Base Diameter: 6" Base Weight: 3 lbs. Color: Black



#### **Tripod Desktop Stand**

#### DS7425 / 51337

**Application**: Desktop miking Height Adjustment: 4.3" - 6.7" Base Spread: 7.5" Includes: Mic clip Color: Black and chrome



#### Posi-Lok Desktop Mic Stand

#### DS300B / 12583

Application: Desktop miking Boom Length: 7" Base Diameter: 6" Base Weight: 3 lbs. Color: Black



#### **Desktop Mic Stand**

DS7100B / 12584 — Black

DS7100C / 12586 — Chrome

Application: Desktop miking Height: 4" Base Diameter: 6" Base Weight: 2 lbs. Color: Black or chrome



#### Gooseneck Desktop Stand

#### DS6213 / 10690

Application: Desktop miking Max Height: 14" Base Spread: 5.6" - 6.75" Base Weight: 2.4 lbs. Color: Black



#### HOT SELLER

#### **Desktop Mic Stand**

DS7200B / 12463 — Black DS7200C / 12587 — Chrome

**Application**: Desktop and short-height miking Height Adjustment: 9" - 13" Base Diameter: 6" Base Weight: 2 lbs. Color: Black or chrome



#### Quik-Release Desktop Mic Stand

#### DS7200QRB / 12585

**Application**: Desktop and short-height miking

Height: 9.5" - 16" Base Diameter: 6" Base Weight: 2 lbs. Color: Black



#### Mic Boom

#### A. MSA7040B / 13148

#### B. MSA7040TB / 12567 — Telescoping

**Application**: Flexibility for miking vocals or instruments MSA7040B Length: 19.5"

MSA7040TB Length Adjustment: 19" - 32"

Max Rotation: 320° Threading: 5/8"-27 Color: Black



#### **Broadcast Boom Arm**

#### MBS5000 / 12550

**Application**: Flexible positioning of mic for broadcast/webcast Vertical Arm Length: 19.5"

Horizontal Arm Length: 19.5" Total Reach: 38" Threading: 5/8"-27 Weight Capacity: 3.5 lbs.

Included: 10' XLR pre-installed cable Clamps: C-clamp and flange mount

Color: Black



Microphone

42

#### Professional Studio Boom Arm

#### MBS7500 / 12623

**Application**: Flexible positioning of mic for broadcast/webcast Vertical Arm Length: 19.5"

Horizontal Arm Length: 19.5" Total Reach: 38"

Threading: 5/8"-27 Weight Capacity: 3.5 lbs.

Clamps: C-clamp and flange mount

Color: Black



#### A. MSA7020B / 12566

Mic Boom

#### **B.** MSA7020TB / 12564 — Telescoping

**Application:** Flexibility for miking vocals or instruments MSA7020B Length: 32"

MSA7020TB Length Adjustment: 32" - 48"

Max Rotation: 320° **Threading**: 5/8 - 27 Color: Black

Color: Black

Application: Flexibility for single or dual miking Length Adjustment: 21.5 - 36" Max Rotation: 320° Threading: Dual 5/8"-27 Construction: Steel

with Dual Mic Capability

Telescoping Boom

MSA9800 / 13057



#### **Professional Telescoping Mic Boom**

#### MSA9900 / 13098

Color: Black

**Application:** Flexibility for miking Length Adjustment: 21" - 35" Max Rotation: 180° Threading: 5/8"-27 Construction: All metal



#### Clamp-On Boom Arm

#### MSA8020 / 11990

**Application:** Additional mic stand boom Boom Length: 19" Vertical Height: 15" Max Rotation: 320° Threading: 5/8""-27 Color: Black"



#### Posi-Lok Combo Boom Arm

#### MSA7500CB / 10759

**Application**: Flexibility for miking vocals or instruments Length: 22" main boom with 7" mini boom

Max Rotation: 360° Threading: 5/8"-27 Color: Black



#### Platinum Series Tele Boom Arm

#### MSA9720TB / 11984

Application: Flexibility for miking vocals or instruments Length Adjustment: 19" - 30"

Max Rotation: 320° Threading: 5/8"-27 Construction: Steel Color: Black



#### 7" Posi-Lok Mini Boom

#### MSA-9502 / 12655

**Application:** Flexibility for miking vocals or instruments Length: 7"

Max Rotation: 300° Threading: 5/8"-27 Color: Black



#### Posi-Lok Tele Boom

#### MSA-9505 / 12659

**Application:** Flexibility for miking vocals or instruments Length Adjustment: 9" - 16" Max Rotation: 300°

Threading: 5/8"-27 Color: Black



#### Posi-Lok Side Mount Mini Boom

#### MSA-9508 / 12651

**Application:** Flexibility for miking vocals or instruments Length: 7"

Max Rotation: 300° Threading: 5/8"-27 Color: Black





#### Counterweight

CW-3 / 11140 — 3 lb.

CW-6 / 11141 — 6 lb.

Application: Add to shaft for increased balance and stability

Opening: Fits shafts 14 mm to 22 mm CW-3 Weight: 3 lbs

CW-6 Weight: 6 lbs Construction: Solid steel Color: Black



#### Posi-Lok Clutch

#### MSA-9501 / 13016

**Application:** Flexibility for miking vocals or instruments Diameter: 1.75" Max Rotation: 300°

Threading: 5/8"-27 Color: Black



#### 6" Gooseneck

MSA9030-06B / 10673 — Black MSA9030-06C / 12893 — Chrome

Application: Flexibility for 5/8"-27 applications Length: 6"

**Construction:** Interlocking rolled metal

Color: Black or chrome



#### 13" Gooseneck

MSA9030-13B / 10674 — Black MSA9030-13C / 12894 — Chrome

Application: Flexibility for 5/8"-27 applications Length: 13"

Construction: Interlocking rolled metal Color: Black or chrome



#### HOT SELLER

#### 19" Gooseneck

MSA9030-19B / 10675 — Black MSA9030-19C / 12895 — Chrome

**Application**: Flexibility for 5/8"-27 applications Length: 19"

**Construction**: Interlocking rolled metal

Color: Black or chrome



#### Flange Mount

TM02B / 12646 — Black TM02C / 12811 — Chrome

**Application:** Mounts mic clips to flat surfaces

Diameter: 1.75" Threading: 5/8"-27

Included: 3 mounting screws Color: Black or chrome



#### Table / Stand Mic Clamp

Threading: 5/8"-27 Color: Black and chrome



#### Flange Mount

TM08B / 11981 — Black TM08C / 11993 — Chrome

**Application:** Mounts mic clips to flat surfaces

Diameter: 2.3" Threading: 5/8"-27 Shock Pad: 3 mm Color: Black or chrome



#### Tabletop Mic Clamp

TM03 / 11989

Application: Mounts mic clip to desktop C-Clamp Accepts: 0.625" - 1.625" Threading: 5/8"-27



#### u-mount® Desk Flange Mount

UM5006 / 12056

Application: Mounts u-Mount® posts and

accessories to flat surfaces Diameter: 2.25"

Threading: Female 5/8"-27 Shock Pad: 3 mm

Included: 3 mounting screws

Color: Black



#### Stereo Mic Bar

MY500 / 12645

Application: Mic bar holds 3 mic clips or other accessories with 5/8"-27 threading

Tilt: 95° Threading: 5/8"-27 Color: Black



#### Deluxe Stereo Mic Bar

MY700 / 12661

Application: Mic bar holds 3 mic clips or other accessories with 5/8"-27 threading

Length: 16"

Angle Adjustment: 0° to 45° Threading: 5/8"-27

Color: Black



#### Quick-Release Stereo Mic Bar

MY800 / 13025

Application: Mic bar holds 3 mic

clips or other accessories with 5/8"-27 threading Length: 8.875"

Angle Adjustment: 365° Threading: 5/8"-27 Color: Black

UMA7 sold separately



#### TM01 / 52962

**Application**: Mount for desktop or stand Clamp: 0.625" - 1.625"



Color: Black



#### Mic-Extension Attachment Bar

#### MY550 / 12021

Application: Additional 5/8"-27 end for second mic stand accessory

Length: 6"

Threading: 5/8"-27 Color: Black



#### Multi-Mic Holder

#### MSA2700 / 13394

**Application:** Holds up to 7 mics **Dimensions:** 6.75" x 7.5" Threading: 5/8"-27

Includes: 3/8" adapter Construction: Aluminum

Color: Black



#### u-mount® Multi-Function Mount

MSA8204 / 12563 — Small

MSA8304 / 12647 — Large

**Application:** 4 threaded studs for mic stand accessories Threading: 5/8"-27

MSA8204 Clamp: Fits shafts 11 mm to 22 mm MSA8304 Clamp: Fits shafts 22 mm to 30 mm

Color: Black



#### **Dual-Mic Amp Bar**

#### MY650 / 13089

**Application:** Dual miking for amps Length: 6" Height Adjustment: 6" - 12" Threading: 5/8"-27

Color: Black / chrome

#### MSA2700

#### Multi-Mic Holder







#### Ceiling Bar for Mics and Lights

#### MY900 / 13848

Application: Ceiling bar for mics and lights Length: 46.5"

Includes: Wood screws for permanent mounting and brackets for ceiling tile mounting **Lug Threading:** 5/8"-27 (4 lugs Included)

#### **Ball Joint Mic Adapter**

#### MM01 / 11741

Application: Adds a ball joint with 5/8"-27 male threading to any standard mic stand

Weight Capacity: 6 lbs Tilt Angle Adjustment: 180° Rotational Adjustment: 360°

Color: Chrome



#### **Quik-Release Mic Adapter**

QK-2B / 12639 — Black QK-2C / 12668 — Chrome

Application: Push-button quick release for mic clips Threading: 5/8"-27 Color: Black



#### **NEW PRODUCT**

#### Mic / Antenna Bar

#### MY950 / 14173

**Application:** Mounting antennas Length: 48" (full size) / 24" (half size) Bracket Threading: 5/8"-27 female Adapter Fits: 1.375" speaker shafts

Lug Threading: 6 independently positionable 5/8"-27 male threaded lugs for mounting microphone clips and antennas

Construction: Aluminum bar / steel bracket

Color: Black



#### Professional Quik-Release Mic Adapter

#### QK-10B / 11991

**Application**: Push-button quick release for mic clips **Threading**: 5/8"-27

Color: Black / chrome



#### HOT SELLER

3/8" Male to 5/8" Female Mic **Screw Adapter** 

MA-100 / 12532 — Chrome MA-100B / 13411 — Black

Application: Convert 5/8" male threads to 3/8" Color: Black or chrome



5/8" Male to 3/8" Female Mic Screw Adapter

MA-300 / 12534

Color: Chrome

**Application**: Convert 3/8" male threads to 5/8" **Quantity**: 2 per package



u-mount® Female-to-Female Adapter

UM-88 / 10501

Application: Convert 5/8"-27 male threading to 5/8"-27 female threading
Color: Black



u-mount® Male-to-Male Adapter

UM-99 / 10486

Application: Convert 5/8"-27 female threading to 5/8"-27 male threading Color: Black



5/8"-27 Female to 1/4"-20 Adapter

MA-125 / 12531

Application: Mounts camera to mic stand Female Threading: 5/8"-27 Male Threading: 1/4"-20 Color: Chrome



HOT SELLER

Unbreakable Dynamic Rubber Mic Clip

MY100 / 11276

Application:Flexible tapered-style mic clip for dynamic mics Relaxed Diameter: 23 mm - 18 mm Color: Black



HOT SELLER

Unbreakable Wireless Rubber Mic Clip

MY110 / 11274

Application: Flexible tapered-style mic clip for wireless mics Relaxed Diameter: 27 mm - 25 mm Expanded Maximum Diameter: 35 mm

Color: Black



5/8" Male to 3/8" Female Mic Screw Adapter

MA-200 / 12533

**Application**: Convert 3/8" male threads to 5/8" **Color**: Chrome



u-mount® Pull-Back Release Sleeve UM-97 / 10490

Application: Quick-release option for TCM series and MY800 Threading: 5/8"-27
Color: Black



u-mount® Ball Joint Adapter
UM-01 / 11745

Application: Mounts TCM series to any 5/8"-27 male-threaded stand or accessory

Tilt Angle Adjustment: 180°

Tilt Angle Adjustment: 180° Rotational Adjustment: 360° Color: Chrome with black knob



Video Camera / Digital Recorder Adapter

CM01 / 12037

Application: Mounts camera to a mic stand Female Threading: 5/8"-27 Male Threading: 1/4"-20 Pan Adjustment: 360° Tilt Angle Adjustment: 180° Weight: 0.3 lbs.



Unbreakable Rubber Condenser Mic Clip

MY120 / 12981

Application: Flexible mic clip for condenser mics Relaxed Diameter: 18 mm Expanded Maximum Diameter: 22 mm Color: Black



#### HOT SELLER

Clothespin-Style Plastic Mic Clip

MY200 / 11267

Application: Clothespin mic clip for mics Relaxed Diameter: 13 mm Expanded Maximum Diameter: 37 mm Color: Black

49

Microphone



Elliptical Mic Clip MY251 / 12495

Application: Mic clip for dynamic mics Diameter: 25 mm Color: Black



Condenser Shock Mount Mic Clip

MY320 / 11278

Application: Shock-absorbent mic clip Diameter: 20 mm Color: Black



Dynamic Shock Mount Mic Clip

MY325 / 11277

HOT SELLER

**Application:** Shock-absorbent mic clip for dynamic mics

Diameter: 25 mm Color: Black



Shock Mount for Studio Mics

MY420 / 48574

**Application**: Prevents vibration when miking **Diameter**: Accepts 19 mm - 30 mm

Threading: 5/8"-27 Color: Black



## Shock Mount for Studio Mics

MY430 / 12679

Application: Prevents vibration when miking Diameter: Accepts 55 mm - 60 mm

Threading: 5/8"-27 Color: Black



Microphone

Pop Blocker

ASVS4-B / 12492 ASVS6-B / 12493

Application: Improves vocal recordings

ASVS4-B Diameter: 4" ASVS6-B Diameter: 6" Clamp: Clothespin style Construction: Nylon screen

Color: Black



Wireless Shock Mount Clip

MY330 / 11284

Application: Shock-absorbent mic clip for wireless mics Color: Black



Music Stand Mic Clip

MY101 / 53694

Application: Mic clip for conductor stands
Mounting: 2 wingnuts

Color: Black



Euro-Style Plastic Mic Clip

MY250 / 11279

Application: Plastic mic clip for dynamic mics
Diameter: 25 mm

Color: Black



#### **Shock Mount for Studio Mics**

MY410B / 12541 — Black MY410CG / 12542 — Champagne

Application: Prevents vibration when miking Diameter: Handles 42 mm - 48 mm Threading: 5/8"-27

Color: Black or champagne



Pop Blocker with Clamp and Gooseneck

ASVS6-GB / 12510

Application: Improves vocal recordings

Diameter: 6"

Clamp: C-clamp with 13" gooseneck Construction: Nylon screen

Color: Black



**Dual-Screen Pop Blocker** 

ASFSS6-GB / 52746

Application: Improves vocal recordings
Diameter: 6"

Clamp: C-clamp with 11.5" gooseneck Construction: Dual nylon screens

Color: Black

 $^{51}$ 



Pop Blocker Filters for ASVSR6GB

#### ASVS6R3 / 12821

**Application:** Replacement filters for ASVSR6GB Diameter: 6"

Construction: Nylon screen

Color: Black



#### Windscreens for Headset Mics

#### ASWS20N10 / 13869

**Application**: Reduce wind, breath, and popping noises Size: Fits most standard headset mics

Material: Flexible foam

Color: Tan



#### Windscreen for Pencil Mics

#### ASWS40B / 13870

Application: Reduce wind, breath, and popping noises Size: Fits most standard pencil mics

Material: Flexible foam Color: Black



#### Steel Mesh Mic Grille

SP58B / 12553 — Black

SP58C / 12552 — Chrome

Application: Replacement mic grille Internal Material: Acoustic foam Outer Material: Steel wire mesh Fits: Standard dynamic mics Color: Black or chrome



#### NEW PRODUCT

#### **Carry Bag for Wireless Mics**

#### MB5002 / 14164

**Application:** Wireless mic protection / transportation Fits: 2 wireless units

Exterior Dimensions: 15" (W) x 11" (H) x 3" (D)

Interior Transmitter Section Dimensions: 7.5" (W) x 2.5" (H)

x 11" (D)

Interior Mic / Battery Pack Holder Dimensions (2): 9" (D) Exterior Cable Pocket Dimensions: 14" (W) x 5.5" (H) x 0.5" (D) Construction: Heavy-duty nylon / EVA foam padding

Color: Black



Microphone

Mic Bag for Mics and Accessories

MB7006 / 13889

**Application**: Holds 6 standard or wireless handheld mics

**Dimensions**: 15" (L) x 11.5" (W) x 10" (H)

Materials: Nvlon / foam Color: Black



#### Pop Blocker with Replacement Liners

#### **ASVSR6GB / 12822**

Color: Black

**Application**: Improves vocal recordings Diameter: 6"

Clamp: C-clamp with 12" gooseneck Construction: Replaceable nylon screens



#### Black Windscreen Pack

ASWS58B5 / 12519 — 5 Pack ASWS58B9 / 12511 — 9 Pack

Application: Reduce wind, breath, and popping noises Size: Fits most standard handheld mics Material: Flexible foam

Color: Black



#### Color Windscreen Pack

ASWS58C5 / 12528 — 5 Pack

ASWS58C9 / 12088 — 9 Pack

**Application**: Reduce wind, breath, and popping noises Size: Fits most standard handheld mics

Material: Flexible foam Color: Various







#### HOT SELLER

#### Foam Windscreen

ASWS58-B / 12090 — Black

ASWS58-BL / 12091 — Blue

ASWS58-R / 12092 — Red

**Application**: Reduce wind, breath, and popping noises Size: Fits most standard handheld mics Material: Flexible foam



#### **Tripod Mic Stand Bag**

#### MSB6000 / 13312

**Application:** Holds 6 tripod mic stands with booms **Dimensions**: 39" (L) x 9.5" (W) x 5" (H)

Materials: Nylon

Color: Black



#### Mic Stand Bag MSB-6500 / 11292

Application: Holds 3 round- or hex-base mic stands with shafts and booms

Dimensions: 37" (L) x 12.5" (W) x 3.75" (H)

Materials: Nylon Color: Black



#### **Wireless Transmitter Pouch** with Guitar Strap

#### MA1335 / 12997

**Application:** Attaches wireless transmitters to strap or belt **Dimensions:** Fits 1" (W) x 3" (L) x 3.5" (D) transmitter

Material: Water-resistant neoprene

Large Loop: Fits belts and straps up to 1.75" Small Loop: Fits belts up to 0.75"

Strap Length: 32" - 55"

Color: Black



#### MSA5050 / 13402

**Application**: Cup holder attachment **Dimensions**: 3" (W) x 3.25" (H) Clamp: Fits tubing 3/8" - 1" Material: Neoprene

Color: Black



#### Clamp-On Accessories Holder

#### MY570 / 12029

Application: Holds studio headphones, cables, or small instruments

Dimensions: 3" (L) x 3.5" (W) C-Clamp: Fits shafts 0.5" - 1"

Color: Black



#### u-mount® Clamp-On Bookplate

#### MSA7011 / 11703

**Application:** Sheet music attachment for mic stand Bookplate Dimensions: 12.25" x 10.625" with 1" lip Clamp: Accepts tubing up to 0.75"

Mounting Bar Length: 9" (8" Mounted from stand)

Material: Steel Color: Black



#### u-mount® Mic Stand Tray

#### MST1000 / 10666

Application: Holds small accessories, devices, and additional mics

Tray Dimensions: 6" x 9"

Mounting Bar Length: 9" (8" mounted from stand)

Threading: 5/8"-27

Mount: Accepts round tubing up to 0.75" Material: Steel

Platform for Mic Stand

Application: Converts mic stand into monitor stand

MSA6000 / 13509

Dimensions: 9" square

Weight Capacity: 12 lbs.

Threading: 5/8"-27

Weight: 2 lbs.

Color: Black

Color: Black



**Application:** Device tray connects to mic stand Included: (2) 7" self-stick non-slip strips

Width Adjustment: 14" - 16.5"

Depth: 10" Weight Capacity: 12 lbs.

Threading: 5/8"-27 Color: Black



#### Speaker Adapter for Mic Stands

#### MSA1.375 / 13415

Application: Converts mic stand into small speaker stand Threading: 5/8"-27

Length: 3.25" Diameter: 1.375"

Max Weight Capacity: 15 lbs.

Weight: 0.3 lbs. Construction: Steel



## M20-THREADED BASES AND SHAFTS


Over 50 Combinations. The On-Stage M20 series of modular components—bases, shafts, booms, and more—puts the power of stage and studio customization in your hands. Designed for quick, convenient, reliable adaptation, the M20 line features all manner of bases—from tripods for vocals to hexagonal heavyweights for telescoped miking—as well as shafts that accommodate a world of flexible connectivity. All feature the precise machining and finest powder-coated metals appropriate for their specific application.

#### Many Applications:

- Backline companies
- Schools
- Concert halls
- Festivals
- Touring musicians
- Houses of worship



#### M20 Bases



A. 5 lb. Sand-cast Tripod Base / BA7311 / 13124 B. 10" Round Base / BA1006 / 13112 C. 12" Round Base / BA1210 / 13123 D. 16 lb. Hex Base / BA1516 / 13125 E. 13.25 lb. Hex Base / BA1313 / 13092 F. Heavy-Duty Tripod Base / BA9750 / 13154




G. Crank-Up Subwoofer Attachment Shaft / SS7747 / 10738 H. Subwoofer Pole / SS7746 / 11713 I. Guitar Hanger / GPA7155 / 12881

J. 9" - 13" Mic Stand Shaft / MSS9409 / 13152 K. 17" - 28.5" Mic Stand Shaft / MSS9417 / 13153 L. Mic Stand Shaft with Upper Rocker / MSS8310 / 13127

M. Mic Stand Shaft with Upper Rocker / MSS8312 / 13149 N. Mic Stand Shaft with Lower Rocker / MSS8412 / 13159

O. 36" - 65" Mic Stand Shaft / MSS9210 / 13126 P. 36" - 65" Mic Stand Shaft / MSS9212 / 13151 Q. 39" - 97" Three Section Shaft / MSS9312 / 13150





## Single-X Keyboard Stand with Bolted Construction

#### KS7190 / 11057

Application: Small-format keyboards Height Adjustment: 27" - 38" Tubing: 1" Base Spread: 11" - 31" Arm Depth: 13.25" Construction: Bolted metal

Weight Capacity: 90 lbs.
Color: Black



## Double-X Keyboard Stand with Welded Attachment

#### KS7191 / 11056

Application: Medium-format keyboards Height Adjustment: 27" - 39" Tubing: 1"

Base Spread: 11" - 31" Arm Depth: 13.25"

Construction: Welded metal Weight Capacity: 120 lbs. Color: Black



## Double-X Keyboard Stand with Bolted Attachment


#### KS7171 / 13528

Application: Medium-format keyboards Height Adjustment: 27" - 39" Tubing: 1"

Base Spread: 11" - 31"
Arm Depth: 13.25"

Construction: Bolted metal Weight Capacity: 120 lbs. Color: Black








Application: Medium-format keyboards Tubing: 18 mm Height Adjustment: 27" - 39" Base Spread: 11" - 31" Arm Depth: 14" Construction: Bolted metal Weight Capacity: 200 lbs.

KS8191XX / 12759

Color: Black



#### **Ergo-Lok Keyboard Stand** with Welded Attachment

#### KS7290 / 12751

**Application:** Large-format keyboards Weight Capacity: 275 lbs. Height Adjustment: 27" - 38" Base Spread: 12" - 32" **Arm Depth:** 13.75" Tubing: 30 mm Construction: Welded metal Color: Black



#### Ergo-Lok Keyboard Stand with Welded Attachment

#### KS7291 / 12750

Application: Large-format keyboards Weight Capacity: 320 lbs. Height Adjustment: 27" - 38" Base Spread: 12" - 32" Arm Depth: 14.25" Tubing: 30 mm Construction: Welded metal Color: Black



#### Ergo-Lok Keyboard Stand with Lok-Tight Attachment

#### KS8290X / 12760


Application: Large-format keyboards Height Adjustment: 27" - 38" Base Spread: 12" - 32" Arm Depth: 13.75" Tubing: 30 mm Construction: Bolted metal Weight Capacity: 275 lbs. Color: Black



#### **Keyboard Stand** with Lok-Tight Attachment

#### KS8291XX / 12761

Application: Large-format keyboards Height Adjustment: 27" - 38" Base Spread: 12" - 32" Arm Depth: 14.125" Tubing: 30 mm Construction: Bolted metal Weight Capacity: 320 lbs. Color: Black




#### **Bullet-Nose Keyboard Stand** with Lok-Tight Attachment

#### KS8190X / 12758

Application: Small-format keyboards Tubing: 15 mm x 30 mm Height Adjustment: 27" - 38" Base Spread: 11" - 31" **Arm Depth:** 13.75" Construction: Bolted metal Weight Capacity: 100 lbs. Color: Black

61

Keyboard / STANDS



## Double-X Ergo-Lok Keyboard Stand with 2nd Tier

#### KS7292 / 13559

Application: Holds 2 keyboards
Weight Capacity: 320 lbs.
Base Spread: 12" - 32"
Height Adjustment (1st tier): 27" - 38"
Lower Arm Depth: 14.25"
Upper Arm Depth: 15.5"
Color: Black



Folding-Z Keyboard Stand

Telescoping Width Adjustment (outer): 21" - 36"
Telescoping Width Adjustment (inner): 19" - 34"
Construction: Welded metal
Weight Capacity: 375 lbs.
Color: Black

Application: Keyboards, DJ gear, mixers

KS7350 / 12762

Structural Tubing: 1" x 2"

# Folding-Z Keyboard Stand with 2nd Tier KS7365EJ / 12763

Application: Keyboard, DJ gear, mixers
1st Tier Depth: 16.5"
Width Adjustment: 21" - 36" (outer), 19" - 34" (inner)
2nd Tier Depth: 16.25" Construction: Welded metal

Structural Tubing: 1" x 2"
Total Weight Capacity: 400 lbs.
2nd Tier Weight Capacity: 60 lbs.
Padding: EVA rubber
Color: Black







#### KS7903 / 11495

**Application**: Multiple keyboards Height: 54"

Base Width: 26" x 58" (max required floor space)

Internal Width: 51"

Construction: Bolted metal

Weight Capacity: 40 lbs. per tier (120 lbs. total) Color: Black



#### **Quantum Core Column Keyboard Stand**

#### KS9102 / 12051

**Application**: Holds 2 keyboards Height Adjustment: 10" - 44"

Base Spread: 32"

Weight Capacity: 125 lbs. per tier (250 lbs. total)

Weight: 17 lbs. Color: Black



#### Platform-Style Keyboard Stand KS7150 / 11650

Application: Large-format keyboard, mixer, and DJ Height Adjustment: 26" - 43" Width Adjustment: 29" - 43.5"

Depth: 12.5"

Folded Dimension: 12.625" (W) x 29" (L) x 3.5" (D)

Construction: Welded and bolted metal Weight Capacity: 230 lbs.

Color: Black







#### **Multi-Function Stand**

#### WS8540 / 12854

Application: Medium-format keyboards, mixers, racks, DJ coffins, and speakers

Tubing: 30 mm

Height Adjustment: 24" - 32.5" (8 set positions) Width Adjustment: 16" - 29"

Depth Adjustment: 14" - 16.5" Construction: Welded and bolted steel

Weight Capacity: 300 lbs.

Color: Black

#### **Multi-Function Stand**

#### WS8550 / 12820

Application: Large-format keyboards, mixers,

racks, DJ coffins, and speakers Tubing: 30 mm

Height Adjustment: 24" - 33" (8 set positions)

Width Adjustment: 29" - 47" Depth Adjustment: 15" - 27" Construction: Welded and bolted steel

Weight Capacity: 250 lbs.

Color: Black

#### Keyboard Stand and Bench Pack

#### KPK6500 / 11659

Application: Large-format keyboards, mixers,

racks, DJ coffins, and speakers Tubing: 15 mm x 30 mm Height Adjustment: 27" - 38" Width Adjustment: 29" - 47" Depth Adjustment: 15" - 27"

Construction: Welded and bolted steel

Weight Capacity: 90 lbs.

Color: Black

Keyboard / STANDS





#### **Keyboard Stand and Bench Pack** with Keyboard Sustain Pedal with Keyboard Sustain Pedal

#### KPK6520 / 13511

Application: Large-format keyboards, mixers, racks, DJ coffins, and speakers

Tubing: 30 mm

Height Adjustment: 24" - 33" (8 set positions)

Width Adjustment: 29" - 47" Depth Adjustment: 15" - 27"

Construction: Welded and bolted steel

Weight Capacity: 250 lbs.

Color: Black

## **Keyboard Stand and Bench Pack**

#### KPK6550 / 13428

Application: Large-format keyboards, mixers, racks, DJ coffins, and speakers

Tubing: 30 mm

Height Adjustment: 24" - 33" (8 set positions) Width Adjustment: 29" - 47"

Depth Adjustment: 15" - 27"

Construction: Welded and bolted steel

Weight Capacity: 250 lbs.

Color: Black



#### Compact MIDI / Synthesizer **Utility Stand**

#### KS6150 / 12509

**Application:** Mini synths, arrangers, MIDI controllers, effects processors, digital DJ tools, samplers, tablets, laptops,

Height Adjustment: 23" - 36" Trav Width Adjustment: 16" - 29"

Tray Depth: 10"

Platform Angle Adjustment: 0° - 15° Base Dimensions: 12" x 16"

Construction: Steel Weight Capacity: 35 lbs.

Weight: 17.5 lbs. Color: Black



#### **Universal 2nd Tier** for X-Style Keyboard Stands

#### KSA7500 / 11982

Application: Add a second keyboard to your stand Compatibility: 1" or 30 mm round or square tubing Weight Capacity: 60 lbs.



#### Utility Tray for X-Style **Keyboard Stands**

#### KSA7100 / 12479

Application: Fits on all On-Stage X-style keyboard stands to hold mixers, laptops, effects, drum machines, and more **Attachment:** Brackets adjust to arm spreads

between 11.75" - 22.75"

Tray Dimensions: 28" (L) x 14.5" (W) Weight Capacity: 100 lbs. Includes: (2) strips of EVA rubber



#### **Deluxe Keyboard Tier**

#### KSA8500 / 13522

**Application:** Holds multiple keyboards, mixers, laptops, and other gear when used with keyboard stands with 1" or 30 mm round or square tubing, including On-Stage Z stands Adjustability: All independent arms have adjustable height,

angle, depth, and width Weight Capacity: 66 lbs. (33 lbs. per set of arms)


Color: Black



#### **Professional 2nd Tier** for KS7350 Folding-Z Stand

#### KSA7550 / 13024

**Application:** Add a second keyboard to your stand Compatibility: KS7350 Folding-Z Stand Height Adjustment: 9" - 14" Angle Adjustment: Up to 30° Weight Capacity: 60 lbs.



#### Universal Adapter for Keyboard Mic

#### A. KSA7575 / 11983

B. KSA7575+ / 11735

**Application:** Add a mic / tablet mount to keyboard stands Compatibility: Any keyboard stand with 1" or 30 mm round or square tubing

Support Arm Length: 6.125" Threading: 5/8"-27 Weight Capacity: 10 lbs.



#### **Keyboard Accessory Tray**

#### KSA8585 / 13523

**Application:** Small mixers, drum machines, synth modules, effect pedals, small speakers Tray Dimensions: 12" (L) x 8" (W)

Tray Height (from 1st tier): 10" Tray Rotation Angle: 180°

Includes: (2) strips of hook and loop





## Three-Position X-Style Bench

### KT7800 / 10539

HOT SELLER

Height Adjustment: 18.75" - 20.5" Bench Seat Size: 12" (W) x 17" (L) Cushion Thickness: 2" Tubing: 0.75" x 1.5" Construction: Welded metal

Weight Capacity: 300 lbs.



### Deluxe Keyboard Bench

### KB8904B / 12515

Construction: Wood / vinyl Height: 19.5" Bench Seat: 13.5" (W) x 29.5" (L) Cushion Thickness: 1" Weight Capacity: 240 lbs. Color: Black satin



### Keyboard / Piano Bench

KB8802B / 13531 — Black

KB8802R / 13533 — Rosewood KB8802W / 13986 — White

Construction: Wood / vinyl Height: 19.5"

Bench Seat: 13.5" (W) x 22.5" (L) Cushion Thickness: 1.5"

Cushion Thickness: 1.5" Weight Capacity: 240 lbs.



### Deluxe X-Style Bench

### KT7800+ / 11483

Application: Keyboard bench Height Adjustment: 19.5" - 24.5" Bench Seat Size: 12.5" (W) x 23.5" (L) Cushion Thickness: 3" Construction: Welded metal Weight Capacity: 360 lbs. Color: Black



### Height-Adjustable Piano Bench

### KB9503B / 13228

Height Adjustment: 17" - 22" Weight Capacity: 330 lbs. Color: Black gloss



## Flip-Top Keyboard / Piano Bench

### KB8902B / 13532

Construction: Wood / vinyl Height: 19.5" Bench Seat: 13.5" (W) x 22.5" (L) Cushion Thickness: 1.5" Weight Capacity: 240 lbs.



### **Keyboard Sustain Pedal**

#### KSP20 / 13513

Cord Length: 6' Connector: 1/4"

Construction: Durable hard outer plastic casing / medium-

gauge spring

**Dimensions:** 2.75" (W) x 1.25" (H) x 3.875" (L)



### Power Adapter

Compatibility: Most battery-powered Yamaha keyboards LED Quantity: 18 Input: 120 V AC 60 Hz Modes: Bright, low, off

Output: 12 V DC 1000 mA



### OSPA130 / 13076

**Application:** Keyboard power supply

Maximum Height: 15"

Cord Length: 70"



Power Requirement: 5V (power adapter included)

### Power Adapter

### OSADE95 / 13077

**Application:** Keyboard power supply Compatibility: Most Casio keyboards, including

CTK, LD, and LK models Input: 120 V AC 60Hz Output: 9 V DC 1000 mA Cord Length: 67" Plug Type: Right angle



## KSP100 / 13427

Cord Length: 6' Connector: 1/4"

Foot Pedal: Chrome with removable scratch-resistant protective cover that also doubles as a non-slip grip



## **Expression Pedal**

#### KEP100 / 13147

NEW PRODUCT

**LED Piano Lamp** 

LED8800 / 14240

**Application:** Piano lighting

Base Diameter: 5.6"

Color: Black

**Application:** Expression control

Compatibility: Most keyboards and synthesizers **Dimensions:** 8.25" (L) x 3.5" (W) x 2" (D)

Color: Black / gray



#### NEW PRODUCT

### 61-Key Keyboard Dust Cover

KDA7061B / 13467 — Black

KDA7061G / 13468 — Gray

KDA7061W / 14170 — White

Application: Keyboard protection

**Size:** 61 - 76 key Material: Spandex



### 88-Key Keyboard Bag

#### KBA4088 / 13400

Application: 88-key keyboards Material: Weather-resistant nylon

Padding: 0.75" foam

**Transportation:** Carrying handle and wheels Interior Dimensions: 58.5" (L) x 15" (H) x 5.1" (D) **Accessory Pocket:** 28" (L) x 12" (H) x 2" (D)



Keyboard

72

### **Keyboard Stand Bag**

#### KSB-6500 / 35539

Application: Holds KS7350, KS7365EJ, and KS7150 keyboard stands Material: Heavy-duty padded nylon

**Dimensions**: 30" (L) x 16" (H) x 8.75" (D)



#### NEW PRODUCT

### 88-Key Keyboard Dust Cover

KDA7088B / 13469 / Black KDA7088G / 13470 / Gray

KDA7088W / 14171 / White

Application: Keyboard protection Size: 88 key Material: Spandex



### 61-Key Keyboard Bag

#### KBA4061 / 13399

Application: 61-key keyboards Material: Weather-resistant nylon

Padding: 0.75" foam

**Transportation**: Backpack-style straps and carrying handles Interior Dimensions: 39" (L) x 12.2" (H) x 4" (D) **Accessory Pocket**: 21" (L) x 12" (H) x 2" (D)

### 49-Key Keyboard Bag

#### KBA4049 / 13988

**Application:** 49-key keyboards Material: Weather-resistant nylon

Padding: 0.75" foam

**Transportation:** Backpack-style straps and carrying handles Interior Dimensions: 35.5" (L) x 12.75" (H) x 5" (D)

Accessory Pocket: 21" (L) x 12" (H) x 2" (D)





### Five-Piece Drum Set

DK7500-GB / 52562 — Gloss Black DK7500-WR / 52725 — Wine Red

Bass Drum: 22" (L) x 16" (W) 6 lug Floor Tom: 16" (L) x 16" (W) 5 lug Rack Tom: 13" (L) x 11" (W) 5 lug Rack Tom: 12" (L) x 10" (W) 5 lug Snare Drum: 14" (L) x 5" (W) 5 lug Drum Shells: 6-ply poplar



### AWARD-WINNER Bell Kit

### BSK2500 / 13082

Height Adjustment: 25" - 38" **Bag Dimensions:** 28.5" (L) x 16" (W) x 5.5" (D) Includes: 2.5-octave bell set, tripod stand with sheet music holder, 8" drum practice pad, 5B wood-tip drumsticks, double-sided mallets, and carry bag



### Five-Piece Junior Drum Set

DKJ5500-GB / 52672 — Gloss Black DKJ5500-WR / 52563 — Wine Red

Bass Drum: 16" (L) x 11" (W); 6 lug Floor Tom: 13" (L) x 10" (W); 5 lug Rack Tom: 10" (L) x 7" (W); 5 lug Rack Tom: 11" (L) x 7" (W); 5 lug Snare Drum: 12 (L) x 5" (W); 5 lug Drum Shells: 6-ply poplar



### **Drum Practice Pad** with Stand and Bag

### DFP5500 / 11758

Height Adjustment: 22" - 37" Base Spread: 12" - 27" Diameter: 8" Angle Adjustment: 80°

**Bag Dimensions:** 24.25" (L) x 12.5" (W) Bag Material: 600D nylon cordura



### Fixed Snare Cajon WFC3200 / 12745

**Dimensions**: 11 3/4" (W) x 18 7/8" (H) x 11 3/4" (D)

Hole Diameter: 4 1/2"

Material: Birch wood / foam pad / rubber feet

Includes: Gig bag, adjustable snare wire, removable foam



### **Double-Braced Drum Throne**

### MDT2 / 14165

Seat Dimensions: 11" diameter / 2.4" thick Height Adjustment: 5 notches adjust from 19.5" - 24.4"

Base Spread: 18.11"

Material: Foam cushion covered in a durable flame-retardant leather-textured material / solid-steel base / rubber feet Color: Chrome and black





**Drum Set Dust Cover** 

DTA1088 / 13475

Dimensions: 80" (W) x 108" (L)
Material: Waterproof nylon
Color: Black



#### PROP 65 WARNING

### Drum Hardware Bag

### DHB6500 / 10416

Application: Holds up to 8 pieces of drum hardware Dimensions: 38" (L) x 14" (W) x 10" (H)

Weight Capacity: 100 lbs.

Material: Heavy-duty nylon exterior / foam-lined interior /

vinyl divider Color: Black



### Non-Slip Drum Mat

DMA4450 / 12040

DMA6450 / 12039

DMA4450 Dimensions: 4' (L) x 4' (W) DMA6450 Dimensions: 6' (L) x 4' (W)

Material: Non-slip PVC Includes: Nylon carry bag Color: Black / green accents











### **Wood Cajon Brushes**

### WCB100 / 13373

Handle Length: 8.5" Bristle Length: 6" Total Length: 14.5"

Material: Maple wood and nylon bristles



### Percussion Mallets

### WPM100 / 13890

**Application:** Percussion mallets **Length:** 12.5"



### Percussion Table

### DPT5500B / 13232

Height Adjustment: 27.5" - 40.5" Angle Adjustment: 0° - 90°

Platform Dimensions: 18.5" (L) x 18.5" (W) Weight Capacity: 25 lbs.

Color: Black



### **Hickory Drum Sticks**

Nylon Tip	Wood Tip
HN2B	HW2B
11114	11119
Size: 2B	Size: 2B
Quantity: 12 pairs	Quantity: 12 pair
HN5A	HW5A
11101	11118
Size: 5A	Size: 5A
Quantity: 12 pairs	Quantity: 12 pair
HN5B	HW5B

11102 11117
Size: 5B Size: 5B
Quantity: 12 pairs Quantity: 12 pairs

HN7A HW7A

 11113
 11116

 Size: 7A
 Size: 7A

 Quantity: 12 pairs
 Quantity: 12 pairs

IMPRINTABLE ITEM

MN7A

11120

Size: 7A

Quantity: 12 pairs

### Maple Drum Sticks

Nylon Tip	Wood Tip
MN2B	MW2B
11124	11134
Size: 2B	Size: 2B
Quantity: 12 pairs	Quantity: 12 pairs
MN5A	MW5A
11123	11133
Size: 5A	Size: 5A
Quantity: 12 pairs	Quantity: 12 pairs
MN5B	MW5B
11121	11129
Size: 5B	Size: 5B
Quantity: 12 pairs	Quantity: 12 pairs

MW7A

11135

Size: 7A

Quantity: 12 pairs

### IMPRINTABLE ITEM

Size: 7A

Quantity: 12 pairs

### American Hickory Drum Sticks

American flickory Drum Stick	
Nylon Tip	Wood Tip
AHN2B	AHW2B
11103	11108
Size: 2B	Size: 2B
Quantity: 12 pairs	Quantity: 12 pairs
AHN5A	AHW5A
11107	11109
Size: 5A	Size: 5A
Quantity: 12 pairs	Quantity: 12 pairs
AHN5B	AHW5B
11106	11115
Size: 5B	Size: 5B
Quantity: 12 pairs	Quantity: 12 pairs
<b>AHN7A</b>	<b>AHW7A</b>
11104	11111

Size: 7A

Quantity: 12 pairs



Percussion



### Deluxe Cymbal Trolley Bag

### CBT4200D / 10219

**Application:** Holds up to 8 cymbals **Dimensions:** 28" (L) x 25" (W) x 4.5" (D)

Weight Capacity: 100 lbs. Material: Heavy-duty nylon

Color: Black

PROP 65 WARNING



## Cymbal Bag

CB3500 / 14051

Large Pocket Diameter: 23.25" with 3.75" max opening

Included: 3 felt spacers Material: Heavy-duty nylon

Color: Black



#### \* PROP 65 WARNING

### **Deluxe Cymbal Bag**

### CB4000 / 14045

Large Pocket Diameter: 23.25" with 3.75" max opening Small Pocket Diameter: 16.5" with 1.55" max opening

Included: 3 felt spacers Material: Heavy-duty nylon

Color: Black



### Standard Padded Drum Bag Set

### DPB3000 / 14054

Application: Drum transportation and storage Five Padded Bags to Fit: 22" x 18" bass, 12" x 10" toms, 13" x 11" toms, 16" x 16" floor tom, and 14" x 5.5" snare Material: Heavy-duty nylon exterior / soft, padded interior Color: Black



#### PROP 65 WARNING

### Drum Key P.O.P. Container

### DKA100 / 12878

Applications: Fits all standard 0.25" square socket drum key tension rods

Construction: Chrome plated



### 20-Strand Replacement **Snare Wires**

### DSW1420 / 51341

Length: 14"

Coils: Identical medium-gauge coils (0.6 mm)

Material: 20-strand steel wires with chrome-plated end clips



### Two-Pocket Drum Stick Bag

#### DSB6500 / 35534

**Dimensions**: 17" (L) x 4.5" (W) x 3" (D)

Material: Nylon Color: Black



### Three-Pocket Drum Stick Bag

### DSB6700 / 13471

Extended Dimensions: 15.5" (W) x 18.25" (L) Material: Nylon

Color: Black




### Clamp-On Drum Stick Holder

### DA-100 / 12028

Dimensions: 11" long Opening Diameter: 3.25" Construction: Neoprene / steel

Color: Black



#### PROP 65 WARNING

### u-mount® Percussion Mount with Spline Gear

### DA-26P / 10151

Application: Mounting drum accessories

Length: 10" Diameter: 1.375" Material: Steel Color: Chrome



\*This warming applies to products that can cause exposure to chemicals including Bis(2-ethylhexyl) phthalate, which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information, go to P65Warmings.ca.gov

### Drum Rim Mic Clip

### DM01 / 11980

Application: Drum miking Threading: 5/8"-27 Color: Black



### Drum Rim Mic Clip

### DM50 / 12939

Application: Drum miking Threading: 5/8"-27 Color: Black









### ON-STAGE ORIGINAL

# Orchestra Music Stand

SM7711B / 12681

Application: Sheet music Bookplate: 12.5" (L) x 20" (W) with 2" return lip

Construction: Aluminum Height Adjustment: 26" - 48" Base Construction: Steel Base Spread: 19" Weight Capacity: 8 lbs.

Color: Black



### Music Stand with Wide Rosewood Bookplate

SM7312W / 11188

Application: Sheet music Bookplate: 13.5" (L) x 22" (L) with 2" return lip

Height Adjustment: 24" - 45"
Base Spread: 18"
Color: Black / rosewood bookplate



Music Stand with Tripod Base SM7211B / 11192

Application: Sheet music

Bookplate: 13.5" (L) x 19" (W) with 2" return lip Height Adjustment: 24" - 45"



#### ON-STAGE ORIGINAL

#### **Music Stand Cart**

### SMC5000 / 13987

Application: Storage and transportation for 8 to 10 sheet music stands

Footprint: 24.5" (L) x 21.75" (W) Weight Capacity: 80 lbs.

Color: Black



### **Detachable Sheet Music Stand** (with Bag)

### SM7022BB / 13047

### **Detachable Sheet Music Stand**

### SM7022B / 13038

Application: Sheet music

Bookplate: 16.75" (W) x 13" (L) with 1" return lip

Stand Height Adjustment: 26" - 42.75"

Stand Base Spread: 21.5" Construction: Steel

Bag Dimensions: 23.75" (L) x 6.22" (W)



### **Compact Sheet Music Stand**

### SM7122B

Application: Sheet music

Bookplate: 9" (foldable) with 2" return lip

Height Adjustment: 26" - 40" Base Spread: 18" - 21"

Construction: Steel **Includes:** Carrying bag

SM7122BB / 11052 / Black with Bag SM7122B / 11053 / Black (No Bag) SM7122DBB / 13039 / Dark Blue with Bag SM7122GRB / 13041 / Green with Bag SM7122NB / 12588 / Nickel with Bag SM7122PB / 13045 / Purple with Bag SM7122PKB / 13044 / Pink with Bag SM7122RB / 13043 / Red with Bag





### Tripod-Base Sheet Music Stand

### SM7222B

**Application:** Sheet music

Bookplate: 9" foldable with 2" return lip Height Adjustment: 20" - 52"

Construction: Steel Includes: Carrying bag

SM7222BB / 13037 / Black with Bag SM7222DBB / 13046 / Dark Blue with Bag SM7222GRB / 13048 / Green with Bag SM7222PB / 13052 / Purple with Bag SM7222PKB / 13051 / Pink with Bag SM7222RB / 13049 / Red with Bag





### **Sheet Music Stand Bag**

#### SMSB-6500 / 35542

Application: Holds 1 sheet music stand Material: Canvas

Dimensions: 23.75" (L) x 6.22" (W)

Color: Black



# Clip-On Solo LED Light

## LED102 / 14052

**Application**: Sheet music stand Lamp Quantity: 1 LED Quantity: 4

LED Color: White Power: (3) AAA batteries



### Clip-On LED Light

LED202 / 81370 — White Light LED202R / 92651 — Red Light

Application: Sheet music stand Lamp Quantity: 2 LED Quantity: 2 (1 per head) LED202 LED Color: White LED202R LED Color: Red Power: (3) AAA batteries



Clip-On Duo LED Light

### LED204 / 14053

Application: Sheet music stand Lamp Quantity: 2

LED Quantity: 4 (2 per head) LED Color: White

Power: (3) AAA batteries



### USB Rechargeable Sheet Music Light

### LED2214 / 13884

Application: Sheet music stand Lamp Quantity: 1 LED Quantity: 4 LED Color: White / Red Charging Time: 5 - 6 hours Battery Life: 25 hours



## Rechargeable Orchestra Light

### LED518 / 14221

Application: Sheet music / orchestra stand Lamp Qty: 1 LED Qty: 18

Button: High/low/off LED Color: White

Power: USB adapter (included) Includes: USB adapter, carrying bag



### Dual USB Rechargeable Sheet Music Light

### LED2224 / 13886

Application: Sheet music stand Lamp Quantity: 2 LED Quantity: 8 (4 per head) LED Color: White / Red Battery Style: Lithium-ion Battery Life: 15 hours



### Double Sax / Flute Stand

### SXS7201B / 12576

**Application**: Alto / tenor saxophone, flute, clarinet **Tubing**: 7/8" (square)

Base Spread: 21" (W) x 14" (L) Number of Instruments Held: 4

Color: Black



### Clip-On LED Orchestra Light

### LED510 / 10468

**Application**: Sheet music stand **Lamp Quantity**: 1

LED Quantity: 10 LED Color: White

Power: AC adapter (included) OR (3) AA batteries

Includes: Carrying bag, AC adapter



# Alto / Tenor Sax Stand with Flute Peg

### SXS7101B / 12573

Application: Alto / tenor saxophone, flute, clarinet Base Spread: 18" Number of Instruments Held: 2 Color: Black





### **Baritone Sax Holder**

### SXSA7201B / 72000

Application: Holds baritone saxophone

Height: 25"

Upper Yoke Spread: 5.5"

Color: Black



#### Cello / Bass Stand

### CS7201 / 14036

**Application:** Holds 1 cello or double bass

Height Adjustment: 28" - 52.5" Base Spread: 22.5" Weight Capacity: 60 lbs.

Construction: Steel Padding: EVA rubber

Color: Black



### Tall Alto / Tenor Sax Stand

### SXS7401B / 12575

Application: Alto / tenor saxophone Height Adjustment: 36" - 48"

Base Spread: 22"

Number of Instruments Held: 1

Color: Black



### Clarinet or Flute Stand

### FS7000B / 12579

Application: Clarinet, flute Base Diameter: 6"

Base Construction: Weighted sand-cast metal

Color: Black



### **Baritone Sax Stand**

### SXS7501B / 12578

Application: Baritone saxophone Height Adjustment: 26" - 29" Base Spread: 20"

Number of Instruments Held: 1

Color: Black



### **Desktop Soprano Sax Stand**

### DSS7600 / 35962

Application: Soprano saxophone, mic

Base Spread: 9" Material: Steel Color: Black



### French Horn Stand

### FHS7201B / 13405

Application: French horn Tilt Angle: 20°

Tubing: 1" x 1" Material: Steel Color: Black



### **Trumpet Stand**

### TRS7301B / 12577

Application: Trumpet Base Spread: 13"

Number of Instruments Held: 1

Color: Black



### Violin Hanger for Music Stands

### VS7200 / 12095

Application: Violin Yoke Opening: 1.1" - 1.3"

**Clamp:** Fits tubing 7/16" - 3/4"

Weight Capacity: 8 lbs.

Includes: (1) u-mount® clamp, (1) EVA rubber bumper, (1) bumper zip tie Color: Black



# **Trombone Stand**

### TS7101B / 12574

Application: Trombone Height Adjustment: 29" - 47"

Base Spread: 22" Number of Instruments Held: 1

Color: Black



# for Saxophone

### SPS5000 / 12786

Application: Saxophone Material: Nylon



# Deluxe Foam-Padded Strap



**Trumpet Whisper Mute** TCM7530 / 50516

**Application:** Trumpet **Dimensions:** 3.5" (W) x 6" (H) Material: Spun aluminum / natural cork Color: Silver



#### IMPRINTABLE ITEM

Foam Shoulder Pad for Violin / Viola (Small)

VSR1814 / 13079

Size: Small

Fits: 10" - 11" instruments (1/8 to 1/2 size)

Material: Foam Color: Gray



### **Trumpet Wah-Wah Mute** TCM7420 / 50518

**Application:** Trumpet **Dimensions:** 5.5" (W) x 4" (H) Material: Spun aluminum / natural cork

Color: Silver



**Trumpet Straight Mute** TCM7520 / 50517

**Application:** Trumpet **Dimensions:** 3.5" (W) x 6" (H) Material: Spun aluminum / natural cork

Color: Silver



### **Trombone Mute**

TBM7000 / 13401

**Application:** Trombone **Dimensions:** 6.5" (W) x 10.5" (H) Material: Spun aluminum / natural cork Color: Silver



#### IMPRINTABLE ITEM

Bore Brush/Swab for Clarinet/Flute

WCS4000 / 12774

**Application:** Clarinet, flute Material: Cotton (head) / metal wire (handle)



#### IMPRINTABLE ITEM

Mouthpiece Brush for Woodwinds

WMB6600 / 12770

**Application:** Woodwind instruments



Application: Violin, viola



#### IMPRINTABLE ITEM

Foam Shoulder Pad for Violin / Viola (Medium)

VSR1234 / 13080

Application: Violin, viola Size: Medium

Fits: 12" - 13" instruments (1/2 to 3/4 size)

Material: Foam Color: Gray



#### IMPRINTABLE ITEM

Foam Shoulder Pad for Violin / Viola (Large)

VSR3444 / 13078

Application: Violin, viola Size: Large

Fits: 13" - 14" instruments (3/4 to 4/4 size)

Material: Foam Color: Gray



### IMPRINTABLE ITEM

Microfiber Moisture Magnet for Alto Sax

SRS5000 / 12777

Application: Alto Saxophone



#### IMPRINTABLE ITEM

Mouthpiece Brush for **Brass Instruments** 

BMB5600 / 12769

Application: Brass instrument



### IMPRINTABLE ITEM

Microfiber Moisture Magnet for Clarinet

CRS5000 / 12775

**Application:** Clarinet. Designed to stay in the instrument during storage and transportation to keep pads dry and clean **Includes:** 2 moisture magnets, one for each section of the clarinet



Premium Slide Oil

Application: Trombone



#### IMPRINTABLE ITEM

VOL2000 / 12767

Premium Valve Oil

Application: Brass instrument Size: 2 oz.



#### IMPRINTABLE ITEM

VPG1000 / 12787

**Peg Compound for Strings** 

Application: Violin, viola, cello Size: 1 oz.



End Pin Anchor for Bass/Cello

CBS1000 / 12790

Application: Bass / cello



# Name Tag for Band Instruments

IDT1000 / 12802

**Application:** Band instruments Includes: Clear tag with paper insert and attaching loop Available in bulk quantity only



#### IMPRINTABLE ITEM

Two-Slot Reed Guard

RDG2000 / 12784

Application: Instrument reeds Holds: 2 reeds



#### IMPRINTABLE ITEM

Microfiber Moisture Magnet for Flute

FRS5000 / 12776

Application: Flute



#### IMPRINTABLE ITEM

**Premium Cork Grease** 

CGS1500 / 12765 / Single CGS1500B / 12803 / Bulk

**Application**: Woodwind reed instruments



#### IMPRINTABLE ITEM

Multipurpose Tuning/Slide Grease

TSG1000 / 12766 — Single TSG1000B / 12804 — Bulk

**Application:** Brass instrument



### IMPRINTABLE ITEM

Magic Mist Mouthpiece Disinfectant and Case Freshener

MHC2000 / 12783

**Application:** Brass and woodwind instruments Size: 2 oz.



#### IMPRINTABLE ITEM

Four-Slot Reed Guard

RDG4000 / 12785

Application: Instrument reeds Holds: 4 reeds





## IMPRINTABLE ITEM

Super Saver Kit for Cello

CEK5600 / 12792

Application: Cello

Includes: Large rosin, polishing cloth, Magic Touch polish, Dead Stop end pin anchor, instruction pamphlet



90

Orchestra



#### IMPRINTABLE ITEM

**Bow Rosin** (Large)

Size: Large



#### IMPRINTABLE ITEM

Super Saver Kit for Clarinet

CLK5600 / 12791

Application: Clarinet

Includes: Clarinet swab, cork grease, duster brush, wire mouthpiece brush, polishing cloth, reed guard, instruction pamphlet



#### IMPRINTABLE ITEM

Super Saver Kit for Flute

FLK5600 / 12793

Application: Flute

Includes: Duster brush, pad papers, cleaning rod cloths, silver polishing cloths, instruction pamphlet



#### IMPRINTABLE ITEM

Super Saver Kit for Viola

VAK5600 / 12799

Application: Viola

Includes: Rosin, Slim Softie shoulder rest, polishing cloth, fingerboard markers, Magic Touch polish, instruction pamphlet



### Super Saver Kit for Trumpet

TPK5600 / 12797

**Application**: Trumpet

Includes: Valve oil, lacquer-polishing cloth, 32" trumpet snake, mouthpiece brush, tuning slide grease, instruction pamphle



Band

#### IMPRINTABLE ITEM

Super Saver Kit for Tenor Sax

TSK5700 / 12798

**Application:** Tenor saxophone

**Includes:** Saxophone swab, cork grease, duster brush, wire mouthpiece brush, lacquer-polishing cloth, reed guard, neck swab, instruction pamphlet



BRL1000 / 12789

Application: Violin, viola, cello



### Super Saver Kit for Trombone

TBK5700 / 12796

IMPRINTABLE ITEM

Application: Trombone

Includes: Slide oil, lacquer-polishing cloth, 42" trombone snake, mouthpiece brush, tuning slide grease, instruction pamphlet



### Super Saver Kit for Low Brass

LBK5800 / 12794

**Application**: Low brass instruments Includes: Valve oil, lacquer-polishing cloth, 6" brass snake, mouthpiece brush, tuning slide grease, valve brush, water key

corks, instruction pamphlet



#### IMPRINTABLE ITEM

Super Saver Kit for Alto Sax

SXK5800 / 12795

Application: Alto Saxophone

Includes: Saxophone swab, cork grease, duster brush, wire mouthpiece brush, lacquer-polishing cloth, reed guard, neck swab, instruction pamphlet



#### IMPRINTABLE ITEM

Super Saver Care Kit for Bass Clarinet

BCK5600 / 13294

**Application:** Bass clarinet

Includes: Cork grease, key oil, polishing cloth, real chamois clarinet neck swab, rainbow body swab, instruction pamphlet



### IMPRINTABLE ITEM

Super Saver Kit for Violin

VNK5600 / 12800

Application: Violin

Includes: Rosin, Slim Softie shoulder rest, polishing cloth, fingerboard markers, Magic Touch polish, instruction pamphlet



#### IMPRINTABLE ITEM

### Super Saver Care Kit for Oboe

### OBK5600 / 13292

Application: Oboe

Includes: Cork grease, duster brush, silver-polishing cloth, pad paper, hanky oboe swab, key oil, instruction



### Super Saver Care Kit for Bassoon

### BSK5600 / 13289

Application: Bassoon

Includes: Key oil, cork grease, duster brush, polishing cloth, cotton bassoon swab, instruction pamphlet



### Super Saver Care Kit for French Horn

### FHK5600 / 13285

Application: French horn

Includes: Rotor oil, lacquer cloth, synthetic 5' snake, mouthpiece brush, tuning slide grease, duster brush, replacement rotor strings, instruction pamphlet



#### IMPRINTABLE ITEM

Microfiber Cloth

MIC1000 / 12801

Application: Instrument cleaning care Size: 12" x 12"



#### IMPRINTABLE ITEM

Microfiber Swab for Clarinet

CFS3000 / 12781

Application: Clarinet Material: Microfiber



### Super Saver Care Kit for Cello

### CEK5600 / 12792

Application: Cello

Includes: Large rosin, polishing cloth, Magic Touch polish, end pin anchor and floor protector, instruction pamphlet



#### IMPRINTABLE ITEM

Synthetic Swabs for Flute (3-Pack)

### FRC3000 / 12772

Application: Flute Quantity: 3



#### IMPRINTABLE ITEM

Synthetic Clarinet Swab

### CRS1000 / 12771

Application: Clarinet Material: Synthetic fiber



Synthetic Swab for Alto Sax

SAS2000 / 12773

Application: Alto saxophone Material: Synthetic fiber



#### IMPRINTABLE ITEM

Microfiber Swab for Alto Sax

SFS3000 / 12782

Application: Alto saxophone Material: Microfiber







Upper Shaft Diameter: 1.375" with 1.375" to 1.5" adapter included Height Adjustment: 46" - 74" Weight Capacity: 120 lbs. Construction: Steel Color: Black



### Classic Speaker Stand

### SS7730B / 10649

Upper Shaft Diameter: 1.375" with 1.375" to 1.5" adapter included
Height Adjustment: 44" - 80"
Weight Capacity: 160 lbs.
Construction: Steel / aluminum
Color: Black

SS7761B / 10650
Upper Shaft Diameter: 1.375" or 1.5"

All-Aluminum Speaker Stand

Upper Shaft Diameter: 1.375" or 1.5" Height Adjustment: 45" - 72" Base Spread: 32" - 48" Weight Capacity: 120 lbs. Construction: Aluminum



## Speaker Stand with Adjustable Leg SS7762B / 13871

Upper Shaft Diameter: 1.375" or 1.5" Length: 45" - 72" Base Spread: 32" - 48" Leveling Leg: 0" - 8" Weight Capacity: 110 lbs. Construction: Aluminum

Color: Black



## Air-Lift Speaker Stand

### SS7764B / 12042

Upper Shaft Diameter: 1.375" Height Adjustment: 47" - 74" Base Spread: 46" Weight Capacity: 100 lbs. Lift Assist: 40 lbs. Construction: Aluminum / steel Color: Black



## 10' Lighting / Speaker Stand

### LS-SS7770 / 10740

Height Adjustment: 44" - 120" Upper Shaft Tubing: 1.375" or 1.5" Base Spread: 38" - 58" Weight Capacity: 140 lbs. Construction: Steel / aluminum Color: Black



### Power Crank-Up Speaker Stand

### SS8800B+ / 12871

Upper Shaft Diameter: 1.375" with 1.375" to 1.5" adapter included Height Adjustment: 47" - 80" Weight Capacity: 80 lbs. Construction: Aluminum / steel Color: Black



## Mini Adjustable Speaker Stand

### SSAS7000B / 12662

Upper Shaft Diameter: 1.375" Height Adjustment: 27" - 46" Base Spread: 12.5" Weight Capacity: 60 lbs. Construction: Aluminum Color: Black



### Compact Speaker Stand Pack

### SSP7750 / 10434

Includes: 2 stands and carry bag Upper Shaft Diameter: 1.375" Height Adjustment: 37" - 60" Weight Capacity: 60 lbs. Construction: Aluminum Bag Material: Heavy-duty nylon







### All-Aluminum Speaker Stand Pack

### SSP7900 / 10633

Height Adjustment: 45" - 74.75" Weight Capacity: 120 lbs. each

Upper Shaft Diameter: 1.375" with 1.5" adapter included Construction: Aluminum

Bag Material: Heavy-duty nylon

Color: Black

### Professional Speaker Stand Pack

### SSP7850 / 12058

Height Adjustment: 46" - 74" Weight Capacity: 120 lbs. each Construction: Steel Color: Black

### All-Aluminum Speaker Stand Pack

### SSP7950 / 10634

Height Adjustment: 45" - 72" Weight Capacity: 120 lbs. each Construction: Aluminum Color: Black Bag material: Heavy-duty nylon



### ON-STAGE ORIGINAL

### **Hex-Base Monitor Stands**

### SMS6600-P / 13091

Height Adjustment: 36.5" - 54" Platform Dimensions: 9.5" square Base Spread: 14" Weight Capacity: 90 lbs. Construction: Steel Color: Black



### Studio Monitor Stands (Pair)

### SMS6000-P / 10638

Height Adjustment: 36.5" - 54" Platform Dimensions: 9.5" Square Base Spread: 18" Weight Capacity: 90 lbs. Construction: Steel Color: Black



### Subwoofer **Attachment Shaft**

SS7740 / 12653

Length: 42" **Diameter:** 1.375" Weight Capacity: 160 lbs. Construction: Steel Color: Black



### Adjustable Subwoofer **Attachment Shaft**

SS7745 / 14015

Length: 31.625" - 55" Diameter: 1.375" Weight Capacity: 100 lbs. Construction: Steel Color: Black



### Subwoofer Pole with M20 Thread

SS7746 / 14055

Length: 30" - 54" Diameter: 1.375" Weight Capacity: 100 lbs. Construction: Steel Color: Black



### Crank-Up Subwoofer Attachment Shaft

SS7747 / 10738

Length: 30" - 42" Diameter: 1.375" Weight Capacity: 135 lbs. Construction: Steel Color: Black



## Airlift Speaker Pole

SS7748 / 14046

Length: 36.5" - 60" Diameter: 1.375" Weight Capacity: 100lbs. Construction: Steel Color: Black



### Adjustable Subwoofer **Attachment Shaft**

SS7745LOK / 12030

Length: 32.5" - 47" Diameter: 1.375" Weight Capacity: 100lbs. Construction: Steel Color: Black



## Speaker / Lighting Stand Skirt

SSA100B / 12086 — Black SSA100W / 12087 — White

**Application:** Two-sided coverage hides cables and cords while still providing easy access Construction: Stretchable, durable nylon with built-in bag Color: Available in black or white



### 12" Speaker Bag

SB1200 / 14037

Application: Holds most 12" speakers **Bag Dimensions**: 24.5" (L) x 14.5" (W) x 15" (D) Construction: Heavy-duty padded nylon

Color: Black

Speaker, Lighting, & Television / SPEAKER



#### IMPRINTABLE ITEM

### Speaker Stand Bag

### SSB6500 / 13160

Application: Holds 2 speaker stands, 6 mic stands, or other gear

Bag Dimensions: 50" (L) x 10" (W) x 5" (D) Construction: Heavy-duty padded nylon

Color: Black



### 15" Speaker Bag

#### SB1500 / 14038

Application: Holds most 15" speakers Bag Dimensions: 28" (L) x 17" (W) x 17" (D) Construction: Heavy-duty padded nylon Color: Black



### Wall-Mount Speaker Bracket

#### SS7914B / 10735

**Application:** Mounting small speaker cabinets Weight Capacity: 80 lbs. Length: 15.5" (measured from inside of wall bracket to center of adapter sleeve)

Construction: Steel Color: Black Sold in Pairs



### Adjustable Wall-Mount Speaker Bracket

### SS7322B / 11715

Application: Small-to-medium speaker cabinet wall mount Distance from Wall: 12.5" - 15" Weight Capacity: 80 lbs. Tilt Angle Adjustment: 90° - 30° Left-to-Right Angle Adjustment: 30°

Color: Black Sold in Pairs



### Wall-Mount Speaker Bracket

### SS7323B / 10719

Sold in Pairs

**Application**: Mounting small-to-medium speaker cabinets Distance from wall: 12.5" - 15" Weight Capacity: 100 lbs. Tilt Angle Adjustment: 90° - 45° Left-to-Right Angle Adjustment: 30° Construction: Steel Color: Black



### Steerable Array Bracket

#### SS7990 / 14040

**Application:** Mounting small-to-medium speaker cabinets Weight Capacity: 80 lbs. per mount

Length: 17.75"

Steering: Up to 180° with correct cables Includes: (6) 8 mm eyebolts (3 per mount)

Color: Black



## **Dual-Mount Speaker Bracket**

#### SS7920 / 10732

Application: Holds two 10" speaker cabinets with 1.375" inserts

Bracket Length: 20" from center of one insert Weight Capacity: 80 lbs. distributed evenly Construction: Steel

**Exterior Mounting Bracket** 

Application: Mounting 1.375" speaker cabinet

Mounting Options: (4) 0.375" holes (hardware included)

EB9760 / 12582

Color: Black

Dimensions: 7.375" x 4.375"

Construction: Heavy-duty plastic

Color: Black



### **Locking Speaker Adapter**

### SSA45LOK / 12055

Application: Prevents speaker shaft wobble Diameter: 1.375"

Length: 12" including 3" overlap on speaker shaft Weight Capacity: Determined by stand used **Construction:** Steel tubing / plastic pressure pads

Color: Black



### **Speaker Stand Adapter**

### SSA3 / 12969

**Application:** Reduces 1.375" shaft to 1"

Inner Diameter: 1.375' Outer Diameter: 1" Construction: Steel Color: Black



### **Speaker Cabinet Insert**

### SSA1.375 / 12657 SSA1.5 / 12859

**Application:** Fits on speaker stand shaft and mounts into a speaker cabinet

SSA1.375 Diameter: 1.375" SSA1.5 Diameter: 1.5" Construction: Steel Color: Black



### M20 Speaker Cabinet Adapter

#### SSA20M / 11714

Application: Replaces 1.375" socket with M20-threaded socket

Included: 4 mounting screws Construction: Steel

Color: Black

Lighting,

Qο

Television



### Adapter Sleeve for Speaker Brackets

### SSA2 / 12930

Color: Black

**Application:** Fits on 1.375" stand and mounts into a 1.5" speaker cabinet Inner Diameter: 1.375" Outer Diameter: 1.5" Construction: Steel



### Speaker Adapter for Mic Stands

Threading: 0.625"

Length: 3.25" Diameter: 1.375"

Max Weight Capacity: 15 lbs.

Construction: Steel



#### NEW PRODUCT

### Subwoofer Adapter

### SSA21 / 14073

Application: Provides speaker shafts with M20 subwoofer adaptability

Upper Adapter: female M20

Lower Adapter: 1.375" with removable male M20 lug to fit all

subwoofers Construction: Steel Color: Black

Includes: Allen key for M20 lug removal



### MSA6000 / 13509

Application: Converts mic stand into monitor stand

Dimensions: 9" square Threading: 5/8"-27 Weight Capacity: 12 lbs. Weight: 2 lbs.

Color: Black



### MSA1.375 / 13415

Application: Converts mic stand into small speaker stand

Weight: 0.3 lbs.



### **Desktop Monitor Stands**

### SMS4500-P / 13398

Color: Black

Height Adjustment: 9" - 12.4" Angle Adjustment: 0° - 15° Base Dimensions: 10" x 10" Platform Dimensions: 9" (D) x 12" (W) **Construction:** Steel / EVA rubber on platform / rubber feet



### **Lighting Stand with Truss**

### LS7730 / 10745

Application: 16-PAR lighting stand with truss Height Adjustment: 65" - 129"

Length: 120" Base Spread: 48"

Weight Capacity: 200 lbs. total Construction: Aluminum





## Lighting Stand with Side Bars

Application: 8-PAR lighting stand

LS7720BLT / 10668

Height Adjustment: 60" - 120" Base Spread: 48" Weight Capacity: 110 lbs. Construction: Aluminum

Color: Black



Quick-Connect u-mount® **Lighting Stand** 

### LS7720QIK / 10670

Application: 12-PAR lighting stand Height Adjustment: 60" - 126"

Base Spread: 48" Weight Capacity: 110 lbs. Construction: Aluminum / steel

Color: Black



## Power Crank-Up Lighting Stand

### LS7805QIK / 13313

Application: 12-PAR lighting stand Height Adjustment: 54" - 132" Base Spread: 54"

Weight Capacity: 80 lbs. Construction: Aluminum / steel

Color: Black



### IMPRINTABLE ITEM

### **Lighting Stand Bag**

### LSB6500 / 35540

**Application**: Holds up to 2 stands Dimensions: 13" (W) x 62" (L) x 9" (H) Construction: Heavy-duty padded nylon Color: Black



### Lighting Clamp with Cable Management System (Pair)

### LTA4880 / 12482

Application: Lighting / cable-management clamp Tubing Maximum: 2" diameter Includes: Pair of clamps

Color: Black



#### AWARD-WINNER

### u-mount® Lighting Arms

### LSA7700P / 10667

Application: Add up to 6 additional PAR lights to existing stand

Length: 29"

**Included:** 6 mounting wingnuts Weight Capacity: 15 lbs. per arm Construction: Aluminum / steel

Color: Black



### Lighting Clamp with Cable Management System

### LTA4770 / 12045

Application: Lighting / cable management clamp Tubing Maximum: 1.625" diameter Includes: Pair of clamps

Color: Black



### u-mount® Lighting Clamp

#### LTA8770 / 12547

**Application**: Lighting clamp Tubing Maximum: 1.5" diameter Includes: Wing nut and bolt Color: Black



### **Lighting Stand Hook Clamp**

### LTA7770 / 10743

Application: Lighting clamp Tubing Maximum: 1.5" diameter Includes: Wingnut and bolt

Color: Black

Lighting,

Qо

Television



### **Heavy Duty Truss Clamp** with Cable Management

#### LTA6880 / 12565

Application: Heavy lighting truss clamp Tubing Maximum: 2" Max Weight Capacity: 200 lbs. Unit Weight: 1.2 lbs. Construction: Aluminum / steel







### MY900 / 13848

Application: Ceiling bar for mic and lights Length: 46.5" **Includes:** Wood screws for permanent mounting

and brackets for ceiling tile mounting Lug Threading: 5/8"-27 (4 lugs Included)



### LCD/Karaoke/Monitor Stand

### FPS5000 / 12749

Mounting Bracket: VESA universal mount Mount Angle Adjustment: 15° up / 15° down Max TV Size: 42" Weight Capacity: 60 lbs. Height Adjustment: 37" - 61" Tray Dimensions: 6" x 9" Base Threading: M20



### Air-Lift Flat Screen Mount

### FPS6000 / 11784

Mounting Bracket: VESA universal mount Mount Angle Adjustment: 15° up / 15° down Max TV Size: 42" Weight Capacity: 50 lbs. Air Lift Assist: 40 lbs. Height Adjustment: 47" - 74" Base Spread: 46"





### **LCD Truss-Mounting System**

### FPS7000 / 12545

Mounted Dimensions: 40" - 70" Max Weight: 95 lbs. Angle Adjustment: 10° up / 10° down Height Adjustment: 62.75" - 88.5"

Base Spread: 107" x 45.5" Construction: Steel / aluminum



#### \* PROP 65 WARNING

### **LCD Truss-Mounting System**

### FPS7400 / 12546

Mounted Dimensions: 40" - 70" Max Weight: 95 lbs. Angle Adjustment: 5° up / 15° down / 15° right / 15° left Height Adjustment: 62.75" - 88.5" Base Spread: 107" x 45.5"











### AWARD-WINNER

### **Utility Cart**

### UTC2200 / 12921

Application: Gear transportation Weight Capacity: 485 lbs. Compact Size: 18" (W) x 28.5" (L) Extended Size: 18" (W) x 42.5" (L) Platform Bed Height: 10.5" Handle Height: 31"

### NEW PRODUCT

### All-Terrain Utility Cart

### UTC5500 / 14076

Application: Gear transportation
Compact Dimensions: 30" (L) x 13.6" (W) x 11.2" (H)
Extended Dimensions: 52" (L) x 13.6" (W) x 37" (H)
Weight: 34.6 lbs.

Weight Capacity: 550 lbs. Front Wheel Size: 8" Rear Wheel Size: 10"

### NEW PRODUCT

### Compact Utility Cart

### UTC1100 / 14246

Application: Gear transportation
Weight Capacity: 330 lbs.
Compact Size: 26" (L) x 11.5" (W) x 7" (H)
Extended Size: 38.5" (L) x 11.5" (W) x 31.5" (H)

Front Wheel Size: 6"
Rear Wheel Size: 6"
Weight: 24.3"

114





NEW PRODUCT

### **Utility Cart Tray**

### UCA1500 / 14172

Application: Table top tray for use with On-Stage Utility Carts Surface Dimensions: 36" (L) x 17" (W)

Thickness: 1.2 mm Weight: 7.5 lbs Weight Capacity: 80 lbs. Color: Black



### Foldable Tiltback Amp Stand

### RS6000 / 11180

Application: Medium amps / large amps

Weight Capacity: 120 lbs. Upper Back Arm Length: 18" Lower Arm Length: 12"

Floor Dimensions: 14" (W) x 21.5" (D)

Construction: Steel Tubing: 0.75" Color: Black



### Tabletop Rack Stand

### RS7030 / 11185

**Application:** 12-space rack **Weight Capacity:** 75 lbs.

Height: 23" Width: 19.5" Depth: 14"

Tubing: 15 mm x 30 mm Construction: Steel Color: Black



### Tiltback Amp Stand

#### RS7000 / 11653

Application: Stage / studio amplifiers and monitors

Weight Capacity: 150 lbs. Height Adjustment: 17" - 24" Upper and Lower Arm Length: 12"

Width: 12" Arm Spread: 13" Base Spread: 15.5" Construction: Steel Color: Black



### Foldable Tiltback Amp Stand

### RS4000 / 11049

Application: Small amps / practice amps Weight Capacity: 100 lbs. Upper Back Arm Length: 14" Lower Arm Length: 8" Floor Dimensions: 12" (W) x 18" (D) Construction: Steel Tubing: 0.75"



### Pro Tiltback Amp Stand

### RS7705 / 12954

**Application:** Stage / studio amplifiers and monitors

Weight Capacity: 90 lbs. Arm Width: 12" Arm Depth: 11"

Base Spread: 17" Construction: Steel Color: Black



### AWARD-WINNER

### Tiltback Tripod Amp Stand

### RS7500 / 11181

Application: Stage / studio amps and monitors

Weight Capacity: 100 lbs.

Height Adjustment: 8" - 10" (support arm height above floor)

Back Bumper Height Adjustment: 19" - 36" Mic Mount Height Adjustment: 23" - 37"

Support Arm Lengths: 7.32" Angle Adjustment: 95° - 110°

Folded Dimensions: 5" (W) x 4.5" (H) x 26.5" (L) Construction: Steel

Color: Black



### Amp Stand with Boom Arm

#### RS7501 / 14014

Application: Stage or studio amps and monitors / amp miking Weight Capacity: 100 lbs.

Height Adjustment: 8" - 10" (support arm height above floor)

Back Bumper Height Adjustment: 19" - 36" Mic Mount Height Adjustment: 23" - 37" Amp Support Arms Length: 7.32"

Angle Adjustment: 95° - 110°

Boom Arm Size: 22" boom arm with 7" adjustable mini boom Boom Arm Tubing: 16 mm

Folded Dimensions: 5" (W) x 4.5" (H) x 26.5" (L)

Tolded Dilliensions: 5 (W) X 4.5 (H)

Color: Black



### Mobile Equipment Stand

### MIX-400 / 12562

**Application:** Holds mixers and small- to mid-size audio gear

Weight Capacity: 88 lbs. Height Adjustment: 28" - 38"

Platform Width Adjustment: 14.5" - 21.5"

Platform Depth Adjustment: 12" - 15.5"

Base Spread: 23"

Construction: Steel / plastic

RS7501

Amp Stand with Boom Arm





### **Antenna Rack Mount**

### RFM1210 / 13558

Application: Holds standard rack-mountable antennas Size: 1 standard rack unit

Includes: (6) 3' 50 ohm BNC cables, (2) copper signal splitters



### Dual Mic Amp Bar

### MY650 / 13089

Application: Dual miking for amps Length: to 6" Height Adjustment: 6" - 12" Threading: 5/8"-27 Color: Black / chrome



### Amp Tilt System

### RS100 / 13020

Application: Angling small- to mid-size amps Angle Adjustment: Up to 30° Material: Nylon exterior / wood and plastic inserts



### Posi-Lok Combo Boom Arm

### MSA7500CB / 10759

Application: Flexibility for miking vocals or instruments Length: 22" main boom with 7" mini boom Max Rotation: 360°

Threading: 5/8"-27
Compatibility: RS7500 or other stands with 5/8"-27 threading





### **Instrument Cables**

Connectors: Standard Wire Gauge: 22 AWG Wire: Copper Warranty: Limited lifetime

QTR-QTR 10' IC-10 / 11002

QTR-QTR 25' IC-25 / 10787

QTR-QTR 6' IC-6 / 10959

QTR-QTR 20' IC-20 / 11003

QTR-QTR 3' IC-3 / 10796 QTR-QTR 15' IC-15 / 10779

Right Angle QTR-QTR 20' IC-20R / 10788

Right Angle QTR-QTR 10' IC-10R / 12923

Heat-Shrink Relief QTR-QTR 10' IC-10HS / 10799

Braided QTR-QTR 20' IC-20BR / 11004



# Pro Instrument Cables with Neutrik Connectors

Connectors: Neutrik Wire Gauge: 20 AWG Wire: Copper

Shielding: Tinned copper braiding Warranty: Limited lifetime

QTR-QTR 10' IC-10NN / 12079

QTR-QTR 25' IC-25NN / 12082

QTR-QTR 6' IC-6NN / 12012 QTR-QTR 20' IC-20NN / 12081

QTR-QTR 3' IC-3NN / 12077

QTR-QTR 15' IC-15NN / 12080



### Mic Cables

Connectors: Standard Wire Gauge: 22 AWG Wire: Copper Shielding: Spiral copper Warranty: Limited lifetime

XLR-XLR 10' MC12-10 / 11032

XLR-XLR 25' MC12-25 / 11028

XLR-XLR 25' MC12-25 / 11038

XLR-XLR 3' MC12-3 / 11034

XLR-XLR 15' MC12-15 / 11036 XLR-XLR 50' MC12-50 / 11033

XLR-XLR 6' MC12-6 / 11037

XLR-XLR 20' MC12-20XLR / 11031

Hi-Z XLR-QTR 20' MC12-20HZ / 11029



### Pro Mic Cables with Neutrik Connectors

Connectors: Neutrik Wire Gauge: 22 AWG

Wire: Copper

Shielding: Tinned copper braiding Warranty: Limited lifetime

XLR 10' MC-10NN / 12002

XLR 50'

**XLR 3**<sup>1</sup>

MC-3NN / 12083

XLR 15'

MC-15NN / 12072

Active Monitor 20' MC-20NNA / 12076

XLR 6'

MC-50NN / 12075 MC-6NN / 12003

> XLR 20' MC-20NN / 12073

Hi-Z 25' XLR-QTR MC-25NN HZ / 80645



#### **QTR Speaker Cables**

Connectors: Standard Wire Gauge: 14 AWG Wire: Copper

Warranty: Limited lifetime

QTR-QTR 3' SP14-3 / 12922

QTR-QTR 6' SP14-6 / 11086

QTR-QTR 10' SP14-10 / 11083

QTR-QTR 25' SP14-25 / 11087



Banana-QTR 10' SP14-10-BA / 11999

Banana-QTR 25' SP14-25-BA / 11998



### Speaker Cables with Neutrik NL2 **Speakon Connectors**

Connectors: Neutrik twist-lock speakon Wire Gauge: 14 AWG

Wire: Copper

Warranty: Limited lifetime

NL2-NL2 101 NL2-QTR 10' SP14-10SS / 11986 SP14-10SQ / 11987

NL2-NL2 25' **NL2-QTR 25**<sup>1</sup>

SP14-25SS / 11988 SP14-25SQ / 11995

NL2-NL2 50' NL2-QTR 50' SP14-50SS / 11996 SP14-50SQ / 11997



### Perfect Pair Powered Speaker Interconnect Cables

Connectors: Neutrik Signal Wire Gauge: 24 AWG Power Wire Gauge: 14 AWG Wire: Copper Warranty: Limited lifetime

Neutrik XLR 25' MPCOMBO-25 / 11944

Neutrik XLR 50' MPCOMBO-50 / 11945

Neutrik XLR 75' MPCOMBO-75 / 11946

Neutrik XLR 100' MPCOMBO-100 / 11947



### Right-Angle Patch Cables (8 Pack)

PC18-17QTR-R / 11957 PC18-17TRS-R / 11959

Application: Guitar pedals, audio equipment PC18-17QTR-R Cable Type: QTR-QTR PC18-17TRS-R Cable Type: TRS-TRS Connectors: Right azvngle Length: 17" Color: Assorted



### Straight Pedal Coupler

PC304 / 11978

Application: Guitar pedals Connector: 1/4" to 1/4" (straight) Color: Gold



### Straight Patch Cables (8 Pack)

PC18-17QTR-S / 11958

PC18-17TRS-S / 11972

Application: Guitar pedals, audio equipment PC18-17QTR-S Cable Type: QTR-QTR PC18-17TRS-S Cable Type: TRS-TRS Connectors: Straight

Length: 17"



### Offset Pedal Coupler

PC305 / 11977

**Application**: Guitar pedals Connector: 1/4" to 1/4" (offset)

Color: Gold



### 6" Right-Angle Pedal Coupler

PC306B / 11973 — Black PC306T / 11974 — Tweed

**Application**: Guitar pedals Cable Type: QTR-QTR Connectors: Right angle Length: 6"



12 x 4 Stage Snake

SNK12450v2 / 14143 — 50' SNK124100v2 / 14141 — 100'

Application: Live sound XLR Inputs: 12 (female) XLR Outputs: 4 (male) Includes: Nylon bag



### 12" Right-Angle Pedal Coupler

PC312B / 11975 — Black PC312T / 11976 — Tweed

**Application**: Guitar pedals Cable Type: QTR-QTR Connectors: Right angle Length: 12"





### 16 x 4 Stage Snake

SNK16450v2 / 14140 — 50' SNK164100v2 / 14139 — 100'

Application: Live sound XLR Inputs: 16 (female) XLR Outputs: 4 (male) Includes: Nylon bag



### 8 x 4 Stage Snake

SNK8450v2 / 14138 — 50' SNK84100v2 / 14137 — 100'

Application: Live sound XLR Inputs: 8 (female) XLR Outputs: 4 (male) Includes: Nylon bag



20 x 4 Stage Snake

SNK20450v2 / 14142 — 50' SNK204100v2 / 14145 — 100'

Application: Live sound XLR Inputs: 20 (female) XLR Outputs: 4 (male) Includes: Nylon bag



### 24 x 4 Stage Snake

SNK24450v2 / 14146 — 50' SNK244100v2 / 14147 — 100'

Application: Live sound XLR Inputs: 24 (female) XLR Outputs: 4 (male) Includes: Nylon bag



### **Active DI Box**

DB1000 / 12556

**Application:** Acoustic guitars, bass guitars, keyboards Inputs: 1/4" Output: XLR

Power: Phantom Construction: Metal enclosure / nylon bumpers

**Dimensions:** 6" (L) x 3.5" (W) x 1.5" (H)

Weight: 0.70 lbs.



### Passive DI Box

DB500 / 12558

**Application:** Acoustic guitars, bass guitars, keyboards

Inputs: 1/4" Output: XLR

Power: Passive / not required

**Dimensions:** 4.75" (W) x 1.375" (H) x 2.875" (D)

On-Stage

**DB1100** 

Weight: 0.5 lbs.



### Passive Multi-Media DI Box

DB1050 / 12557

**Application:** Computers, mp3 players, keyboards, projectors, DJ equipment

Input: Stereo 1/4", 3.5 mm, stereo RCA, and XLR Output: Mono XLR low-Z

Power: Passive / not required

Construction: Metal enclosure / nylon bumpers **Dimensions:** 6" (L) x 3.5" (W) x 1.5" (H)

Weight: 0.70 lbs.



#### **Active DI Box**

DB1100 / 12555

**Application:** Acoustic guitars, bass guitars, keyboards Inputs: Stereo 1/4"

Output: XLR (mono) Power: Phantom

Construction: Metal enclosure / nylon bumpers **Dimensions:** 6" (L) x 3.5" (W) x 1.5" (H)

Weight: 0.70 lbs.

Active Stereo Multi-Media DI Box

DB2050 / 12554

Application: Computers, mp3 players, keyboards, projectors, DJ equipment Inputs: Stereo 1/4" / 3.5 mm / RCA Outputs: Isolated stereo XLR

Power: Phantom

Construction: Metal enclosure / nylon bumpers **Dimensions:** 6" (L) x 3.5" (W) x 1.5" (H)

Weight: 0.70 lbs.

Audio



#### Passive USB DI Box

#### DB2150 / 13311

Application: Computers, mp3 players, projectors, DJ equipment Input: USB 2.0

Output: XLR (stereo), 3.5 mm headphone

Power: Phantom / not required

**Construction:** Metal enclosure / nylon bumpers **Dimensions:** 5.75" (L) x 3.5" (W) x 1.5" (H)

Weight: 0.70 lbs.



### NEW PRODUCT Mini DI Box

DB200 / 14117

Application: Guitar, bass, keyboard

Outputs: 1/4" unbalanced and XLR balanced **Power:** 9 V DC, center negative (not included) **Dimensions:** 3.6" (L) x 1.5" (W) x 1.3" (H)

Construction: Metal enclosure

Includes: Hook-and-loop strip for pedalboard mounting



### **FET Condenser Mic**

#### AS800 / 14075

Application: Studio microphone

Pattern: Cardioid

Frequency Response: 20Hz - 20kHZ **Impedance:** ≤ 200 Ohm

Power: 48V Phantom power



### **NEW PRODUCT**

### Low-Z Dynamic Vocal Mic

### AS420v2 / 14235

**Application:** Dynamic mic Pattern: Cardioid

Frequency Response: 50Hz - 15KHz Impedance: 600 Ohm (at 1KHz)

Includes: 20' cable



### Low-Z Dynamic Handheld Mic

#### AS400v2 / 14236

**Application:** Dynamic mic Pattern: Cardioid

Frequency Response: 50Hz - 15KHz Impedance: 600 Ohm (at 1KHz)

Includes: 20' cable



#### PROP 65 WARNING

### Gooseneck Mic

### DJM618 / 12664

Application: Mixers, podiums Length: 18"

Cardioid Pattern: Unidirectional Frequency Response: 50 Hz - 10 kHz

Impedance: 500 ohms Connector: 3-pin male XLR



### **Bluetooth Converter**

#### BC1000 / 13322

Application: Wireless Bluetooth audio

Version: Bluetooth 4.0

Power: 3.7 V lithium battery with included USB charging cable

Battery Life: 20 hours

HA4000 / 12973

**Application:** Recording, audio playback

Input Connector: 1/4" TRS Stereo

Max Gain: 20 dB per channel

Output Connector: 1/4" TRS Stereo

Wireless Transmission Range: 30'



#### Stereo Bluetooth Converter

#### BC2000 / 14029

Application: Stereo wireless Bluetooth audio Includes: (2) pairable (stereo) Bluetooth

receivers and (2) USB charging cables Version: Bluetooth 4.0

**Power:** 3.7 V lithium battery with included USB charging cable

Wireless Transmission: 30'



### **Dual-Mode Bluetooth** Stereo Headphones

### BH4500 / 10772

**Application:** Wireless Bluetooth audio Version: Bluetooth 4.0

Speaker: 40 Hz - 20 kHz Playback Time: 10 hours Charging Time: 2.5 hours Charging Port: Micro USB Transmission Range: 30'

Mic: Yes



\*This warming applies to products that can cause exposure to chemicals including Bis(2-ethylhexyl) phthalate, which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information, go to P65Warmings.ca.gov

#### \* PROP 65 WARNING

### Mini Bluetooth Speaker with u-mount® Clamp

### BS4080 / 11007

Application: Wireless Bluetooth audio Transmission Range: 30'

Battery: Rechargeable lithium Material: Aluminum

Color: Black



### **Professional Studio Headphones**

#### WH4500 / 12970

**Application:** Home and studio recording

Style: Closed Driver Size: 40 mm

Frequency Response: 15 Hz - 28 kHz Cable Length: 10' (detachable)

Includes: Nylon carrying bag

Color: Black





Four-Channel Headphone Amp

Power Supply: 12 V - 18 V DC adapter (included)

124

Audio

# Stereo Bluetooth Converter





### Cable Ties

### CTA6600 / 11139

Application: Cable storage Quantity: 5 Material: Nylon Color: Black



### Cable-Management System

### CM200 / 13410

Application: Gear storage

Size: 29" (L) x 4.5" (W) (depth of hook: 4") Material: Aluminum

Material: Aluminu Color: Black



### Headphone Bag

### HB4500 / 13053

Application: holds 1 pair of standard-sized headphones Dimensions: 12.5" (L) x 9" (W) Material: Nylon

Color: Black



### 3.5 mm to 1/4" Plug Adapter

### WHA4500 / 13055

**Application:** Headphones, audio devices, audio equipment **Size:** 1/4" male to 3.5 mm female

Color: Gold







### **Wood Workstation**

WS7500B / 12504 — Black WS7500RB / 12503 — Rosewood

Dimensions: 43" (W) x 38" (H) x 23.5" (D) Keyboard Tray Height: 25"
Desktop Height: 29"
Upper Platform Height: 37.5"
Weight Capacity: 175 lbs.
Construction: Wood / steel Color: Black or rosewood

### Rack Cabinet

WSR7500B / 12508 — Black WSR7500RB / 12507 — Rosewood

Application: 12 Space rack cabinet
Dimensions: 30" (L) x 23.8" (W)
Height with Feet: 29" - 30"
Included: 4 removable casters - 1 pair locking
Height with Casters: 30.5"

Construction: Laminated wood / steel

Color: Black or rosewood

130



### **Workstation Corner Accessory**

WSC7500B / 12506 — Black WSC7500RB / 12505 — Rosewood

Application: 45 degree corner add-on to WS7500 workstation **Dimensions**: 23.8" (W) x 26.8" (D) x 29" - 30" (H)

Weight Capacity: 60 lbs.

Construction: Laminated wood / steel

Color: Black or rosewood



### **Dual-Space Rack Mount**

### WSA7500 / 12904

**Application:** Under-furniture rack mount **Dimensions:** 19" (W) x 3.5" (H) x 4" (D) Includes: (2) single-space rack mounts, (1) 19" 1U blank rack panel, (4) screws for pre-drilled WS7500, (2) self-tapping screws, (12) rack-mounting screws Construction: Steel

Color: Black



### Laptop Stand

LPT5000 / 11739

Platform Dimensions: 9.25" x 10.8" Height Adjustment: 6.3" - 10.9" Weight Capacity: 8 lbs.

Color: Black



### Multi-Purpose Laptop Stand

### LPT6000 / 13231

Platform Dimensions (Adjustable): 9.5" - 14.5" (W) x 12" (D) Height Adjustment: 9.25" - 14.25" Weight Capacity: 10 lbs. Includes: Clamps for desk / partition mounting

Color: Black



### **Desktop Monitor Stands**

### SMS4500 / 13398

Height Adjustment: 9" - 12.5" Angle Adjustment: 0° - 15° Base Dimensions: 10" x 10" Platform Dimensions: 9" x 12"

Construction: Steel / EVA rubber on platform / rubber feet

Color: Black



### **Deluxe Laptop Stand**

### LPT7000 / 13430

Platform Dimensions: 15.5" - 11" Pad Dimensions: 11" x 7" Height Adjustment: 31" - 51" Angle Adjustment: 0 - 90° Weight Capacity: 12 lbs Color: Black



### Travel-Ease Tablet Stand

### TS9900 / 99620

Height Adjustment: 16.5" - 27" Folded Length: 13.5" Base Spread: 14" Color: Black



### **Heavy-Duty Tablet Stand**

### TS9901 / 99690

Height Adjustment: 24" - 38" Folded Length: 14" Base Spread: 19" Threading: 5/8"-27 Color: Black



### Tablet / Smart Phone Holder

### TCM1500 / 13534

Color: Black

Dimensions (Adjustable): 8" - 12" (H) x 3.5" (D) x 9.5" (W) Rotation: 360° Clamp: .75" - 1"



### Tablet Case with u-mount® Clamp

### TCM9150 / 11734

Holder Dimensions: 7.5" x 9.75" Rotation: 360° Clamp: 0.45" - 0.75" Color: Black



### u-mount® Universal Grip-On System with Mounting Bar

### TCM1900 / 12944

Application: Tablet holder Holder Dimensions: 2.5" - 9" Rotation: 360° Clamp: 0.45" - 0.75" Color: Black



### u-mount® Ball Joint Adapter

#### UM-01 / 11745

**Application:** Mounts TCM series to any 5/8"-27 male-threaded stand or accessory Tilt Angle Adjustment: 180° Rotational Adjustment: 360° Color: Nickel / black knob



### u-mount® Universal Grip-On System with Round Clamp

### TCM1901 / 12945

PROP 65 WARNING

ON-STAGE ORIGINAL

Application: Tablet holder Holder Dimensions: 2.5" - 9" Rotation: 360° Clamp: 0.75" - 1.14" Color: Black



### u-mount® Universal Grip-On System with Bullet Nose

### TCM1908 / 11949

Application: Tablet holder Holder Dimensions: 2.5" - 9" Rotation: 360° Clamp: 0.5" - 2" Color: Black



## u-mount® Female-to-Female Adapter

#### UM-88 / 10501

**Application:** Convert 5/8"-27 male threading to 5/8"-27 female threading Color: Black



### u-mount® Pull-Back Release Sleeve

#### UM-97 / 10490

**Application:** Quick-release option for TCM series and MY800 Threading: 5/8"-27 Color: Black



## u-mount® Male-to-Male Adapter

### UM-99 / 10486

Application: Convert 5/8"-27 female threading to 5/8"-27 male threading Color: Black



## u-mount® Universal Round Mount

### UM-5001 / 10489

**Application:** Mounting clamp for TCM or mic accessories Threading: 5/8"-27 female Color: Black



### Pack Rack Screws

WSR7100 / 14080 — 100 Pack WSR7025 / 14079 — 25 Pack

**Application:** Secures rackmount gear to rack cabinet

**Dimensions:** M5, 12mm Phillips head Head type: Philips head

Construction: Metal Color: Black



### u-mount® Accessory Kit

### TCA1066 / 10268

**Application:** Accessories for u-mount® **Includes:** Drawstring bag, presentation sleeve, additional mounting posts, post end cap



### u-mount® Desk Flange Mount

### UM5006 / 12056

Application: Mounts u-mount® posts and accessories to flat surfaces

Diameter: 2.25"

Threading: 5/8"-27 female Shock Pad: 3 mm

**Included:** 3 mounting screws

Color: Black



#### PROP 65 WARNING

### u-mount® Powerbank

### TB1000 / 10578

Application: Mobile device powerbank Input: 5 V DC

Output: 5.0 V DC +/- 0.2 V

Capacity: 2200 mAh

Charge Life: 4 hours - rechargeable

**Dimensions:** 3.6" x 0.86" Weight: 0.16 lbs



Studio



### u-mount® Powerbank

### TB1004 / 11027

**Application:** Mobile device powerbank

Input: 5 V DC

Output: 5.0 V DC +/- 0.2 V Capacity: 7800 mAh

Charge Life: 13 hou

Charge Life: 13 hours - rechargeable Dimensions: 8.8" x 0.86"

Weight: 0.42 lbs



### Broadcast Boom Arm

#### MBS5000 / 12550

**Application:** Flexible positioning of mic for broadcast/webcast

Vertical Arm Length: 19.5" Horizontal Arm Length: 19.5"

Total Reach: 38"

Weight Capacity: 3.5 lbs. Included: 10' XLR pre-installed cable

Clamps: C-clamp / flange mount

Color: Black



### Professional Studio Boom Arm

#### MBS7500 / 12623

Application: Flexible positioning of mic for broadcast/webcast

Vertical Arm Length: 19.5" Horizontal Arm Length: 19.5" Total Reach: 38" Threading: 5/8"-27

Threading: 5/8"-2/
Weight Capacity: 3.5 lbs.
Clamps: C-clamp / flange mount

Color: Black



### **Isolation Shield**

### ASMS4730 / 12815

Dimensions: 18.5" (W) x 12" (L) x 2" (D) Height Adjustment: 5.5" from level Depth Adjustment: 2" - 7" from screen

Weight: 4.5 lbs.

Material: Vented aluminum / 2" acoustic foam

Color: Black / chrome



# Acoustic 1" Panel for Professional Applications

### AP3500 / 12971

Dimensions: 24" (L) x 24" (W) x 1" (D)
Weight: 2.75 lbs. + 0.65 lbs. hanger / screws
Included: (2) wall-mount clips and (6) anchor screws
Material: High density, class A fire rated acoustic fiberglass
Color: Black



### Foam Speaker Platforms

A. ASP3001 / 12831 — Small

B. ASP3011 / 12830 — Medium

C. ASP3021 / 12824 — Large

 $\begin{array}{l} \textbf{ASP3001 Dimensions: } 6.5" \ (W) \times 11.5" \ (D) \times 1.5" \ (D) \\ \textbf{ASP3011 Dimensions: } 10.5" \ (W) \times 12.5" \ (D) \times 1.5" \ (D) \\ \textbf{ASP3021 Dimensions: } 15.25" \ (W) \times 13" \ (D) \times 1.5" \ (D) \\ \end{array}$ 

Includes: 2 bases / 2 wedges Material: Acoustic foam

